

► Code Number

20001020

► Description

Complete HET system with exposed manual Sloan® closet Flushometer and vitreous china fixture.

► Flush Cycle

1.28 gpf/4.8 Lpf

► Specifications

Quiet, exposed, diaphragm type, chrome plated closet Sloan® HET Flushometer and vitreous china floor mount HET fixture with the following features:

FLUSHOMETER

- High Chloramine Resistant PERMEX® Synthetic Rubber Diaphragm with Linear Filtered Bypass and Vortex Cleansing Action™
- Vandal Resistant Stop Cap & Adjustable Tailpiece
- Spud Coupling and Flange for 1 1/2" Top Spud
- Sweat Solder Adapter with Cover Tube and Cast Wall Flange
- High Copper, Low Zinc Brass Castings for Dezincification Resistance
- Non-Hold-Open Handle, Fixed Metering Bypass and no external volume adjustment to ensure High Efficiency flush accuracy
- Handle Packing, Stop Seat and Vacuum Breaker Molded from PERMEX® Rubber Compound for Chloramine Resistance

FIXTURE

- Floor mounted vitreous china
- 1 1/2" I.P.S. top spud inlet
- 2 1/8" fully glazed trapway diameter
- Integral flushing rim
- Siphon jet flushing action
- Closet bolts and caps included
- 100% factory flush tested
- Mounting hardware, carrier and toilet seat not included
- Recommended seats: Bemis - 1955CT/1955SSCT & 2155CT/2155SSCT Church - 295CT/295SSCT & 2155CT/2155SSCT
- Water closet shall be in compliance to the applicable sections of ASME A112.19.2/CSA B45.1
- ADA Compliant Metal Oscillating Non-Hold-Open Handle


Valve Body, Cover, Tailpiece and Control Stop shall be in conformance with ASTM Alloy Classification for Semi-Red Brass. Valve shall be in compliance with the applicable sections of ASSE 1037 and ANSI/ASME 112.19.2.

► Variations

DFB - Dual Filtered Bypass Diaphragm

L - Less Control Stop

All vitreous china dimensions shown in these drawings are nominal. Dimensions can vary within the tolerances established in the governing ASME A112.19.2/CSA B45.1 standard. Please take this into consideration when planning rough-in and plumbing layouts.



► Compliance & Certifications



This space for Architect/Engineer Approval