

B3198H - Hinged Extension Split Pipe Clamp (TOLCO Fig. 302)

Size Range: 3/8" (10mm) to 3" (80mm) pipe

Material: Malleable Iron


Function: Designed for suspending non-insulated pipe horizontally or vertically.

Approvals: Conforms to Federal Specification WW-H-171E & A-A-1192A, Type 25 and Manufacturers Standardization Society ANSI/MSS SP-69 & SP-58, Type 12.

Standard Finish: Plain or Electro-Galvanized

Order By: Figure number and finish.

TOLCO



Part No.	Pipe Size		Rod Size		C		Design Load		Approx. Wt./100	
	in.	(mm)	A		in.	(mm)	Lbs.	kN	Lbs.	kg
B3198H-3/8	3/8"	(10)	3/8"-16		31/32"	(24.6)	180	(.80)	9	(4.1)
B3198H-1/2	1/2"	(15)	3/8"-16		11/16"	(27.0)	180	(.80)	12	(5.4)
B3198H-3/4	3/4"	(20)	3/8"-16		17/32"	(30.9)	180	(.80)	12	(5.4)
B3198H-1	1"	(25)	3/8"-16		111/32"	(34.1)	180	(.80)	13	(5.9)
B3198H-11/4	11/4"	(32)	3/8"-16		119/32"	(39.7)	180	(.80)	18	(8.1)
B3198H-11/2	11/2"	(40)	3/8"-16		123/32"	(43.6)	180	(.80)	21	(9.5)
B3198H-2	2"	(50)	3/8"-16		2"	(50.8)	180	(.80)	44	(19.9)
B3198H-21/2	21/2"	(65)	1/2"-13		211/32"	(59.5)	300	(1.33)	73	(33.1)
B3198H-3	3"	(80)	1/2"-13		223/32"	(69.0)	300	(1.33)	95	(43.1)



B3198HCT - Hinged Extension Split Pipe Clamp (TOLCO Fig. 301CT)

Size Range: 1/2" (15mm) to 2" (50mm) copper tubing


Material: Malleable Iron

Function: A rigid support to suspend tubing horizontally or vertically.

Approvals: Conforms to Federal Specification WW-H-171E & A-A-1192A, Type 25 and Manufacturers Standardization Society ANSI/MSS SP-69 & SP-58, Type 12.

Standard Finish: DURA-COPPER™

Order By: Figure number and finish.



Part No.	Tubing Size		Rod Size		C		Design Load		Approx. Wt./100	
	in.	(mm)	A		in.	(mm)	Lbs.	(kN)	Lbs.	(kg)
B3198HCT-1/2	1/2"	(15)	3/8"-16		5/8"	(15.9)	180	(.80)	8	(3.6)
B3198HCT-3/4	3/4"	(20)	3/8"-16		13/16"	(20.6)	180	(.80)	10	(4.5)
B3198HCT-1	1"	(25)	3/8"-16		15/16"	(23.8)	180	(.80)	10	(4.5)
B3198HCT-11/4	11/4"	(32)	3/8"-16		11/8"	(28.6)	180	(.80)	14	(6.3)
B3198HCT-11/2	11/2"	(40)	3/8"-16		19/16"	(39.7)	180	(.80)	18	(8.1)
B3198HCT-2	2"	(50)	3/8"-16		17/8"	(47.6)	180	(.80)	23	(10.4)

All dimensions in charts and on drawings are in inches. Dimensions shown in parentheses are in millimeters unless otherwise specified.