

## MXS/MXL Series Outdoor Units and Accessories

Up to 4.0 Ton Heat Pump

Up to 20.6 SEER2 & 12.0 EER2 & 9.7 HSPF2

2, 3, 4, 5 and 8-Zone Multi-Zone

Standard Operating Range:

MXS Heating: 5°F/-15°C - 59.9°F/15.5°C

MXL Heating: -13°F/-25°C - 59.9°F/15.5°C

Cooling: 14°F/-10°C - 114.8°F/60°C

\*\*\*Energy Star rating for 2MXS/2MXL, 4MXL Non-ducted configuration Only\*\*\*

### Standard Features

- 208/230/1 Power Supply
- Up to 100% Heating capacity at 5°F / -15°C (MXL AURORA Only)
- Up to 100% Cooling capacity at 104°F / 40°C (MXL AURORA Only)
- Anti-Corrosion Treatment on Heat Exchanger
- Outdoor Unit Quiet Operation
- Auto Changeover
- Auto Restart after Power Failure
- Self Diagnostics with Digital Display



| MXS Outdoor Unit - Heat Pump |                  |       |               |               |                                                                                                     |                              |        |      |            |
|------------------------------|------------------|-------|---------------|---------------|-----------------------------------------------------------------------------------------------------|------------------------------|--------|------|------------|
| Outdoor Unit                 | Nominal Capacity | Ports | Sound Cooling | Sound Heating | Dimensions H/W/D                                                                                    | Line Size & Qty              | Weight | MOCP | Price      |
| 2MXS18WMVJU9                 | 18,000           | 2     | 50 dB(A)      | 51 dB(A)      | 28 <sup>15</sup> / <sub>16</sub> x 34 <sup>1</sup> / <sub>4</sub> x 12 <sup>5</sup> / <sub>8</sub>  | ¼ (2) x ⅜ (1), ½ (1)         | 126    | 20   | \$3,669.00 |
| 3MXS24WMVJU9                 | 24,000           | 3     | 52 dB(A)      | 54 dB(A)      | 28 <sup>15</sup> / <sub>16</sub> x 34 <sup>1</sup> / <sub>4</sub> x 12 <sup>5</sup> / <sub>8</sub>  | ¼ (3) x ⅜ (1), ½ (2)         | 140    | 25   | \$4,732.00 |
| 4MXS36WMVJU9                 | 36,000           | 4     | 54 dB(A)      | 56 dB(A)      | 28 <sup>15</sup> / <sub>16</sub> x 34 <sup>1</sup> / <sub>4</sub> x 12 <sup>5</sup> / <sub>8</sub>  | ¼ (4) x ⅜ (1), ½ (2), ⅝ (1)  | 144    | 25   | \$5,372.00 |
| 5MXS48WMVJU9                 | 48,000           | 5     | 53 dB(A)      | 55 dB(A)      | 34 <sup>1</sup> / <sub>4</sub> x 45 <sup>5</sup> / <sub>16</sub> x 18 <sup>5</sup> / <sub>8</sub>   | ¼ (5) x ⅜ (1), ½ (2), ⅝ (2)  | 216    | 35   | \$7,222.00 |
| RMXS48LVJU*                  | 48,000           | 8     | 56 dB(A)      | 58 dB(A)      | 52 <sup>15</sup> / <sub>16</sub> x 35 <sup>5</sup> / <sub>16</sub> x 12 <sup>5</sup> / <sub>8</sub> | ⅜ x ⅝ (Refer to sizing tool) | 283    | 30   | \$6,912.00 |

| Daikin AURORA Outdoor Unit - Heat Pump |                  |       |               |               |                                                                                                    |                             |        |      |            |
|----------------------------------------|------------------|-------|---------------|---------------|----------------------------------------------------------------------------------------------------|-----------------------------|--------|------|------------|
| Outdoor Unit                           | Nominal Capacity | Ports | Sound Cooling | Sound Heating | Dimensions H/W/D                                                                                   | Line Size & Qty             | Weight | MOCP | Price      |
| 2MXL18WMVJU9                           | 18,000           | 2     | 50 dB(A)      | 51 dB(A)      | 28 <sup>15</sup> / <sub>16</sub> x 34 <sup>1</sup> / <sub>4</sub> x 12 <sup>5</sup> / <sub>8</sub> | ¼ (2) x ⅜ (1), ½ (1)        | 142    | 20   | \$4,127.00 |
| 3MXL24WMVJU9                           | 24,000           | 3     | 52 dB(A)      | 54 dB(A)      | 28 <sup>15</sup> / <sub>16</sub> x 34 <sup>1</sup> / <sub>4</sub> x 12 <sup>5</sup> / <sub>8</sub> | ¼ (3) x ⅜ (1), ½ (2)        | 143    | 25   | \$5,136.00 |
| 4MXL36WMVJU9                           | 36,000           | 4     | 53 dB(A)      | 55 dB(A)      | 34 <sup>1</sup> / <sub>4</sub> x 45 <sup>5</sup> / <sub>16</sub> x 18 <sup>5</sup> / <sub>8</sub>  | ¼ (4) x ⅜ (1), ½ (2), ⅝ (1) | 214    | 35   | \$6,926.00 |

| Piping & Connectivity               |                    |                     |                     |                    |                     |                  |                     |             |
|-------------------------------------|--------------------|---------------------|---------------------|--------------------|---------------------|------------------|---------------------|-------------|
|                                     | 2MXL18WMVJU9       | 3MXL24WMVJU9        | 4MXL36WMVJU9        | 2MXS18WMVJU9       | 3MXS24WMVJU9        | 4MXS36WMVJU9     | 5MXL48WMVJU9        | RMXS48LVJU  |
| Precharged for up to (ft)           | 98                 | 131                 | 131                 | 98                 | 131                 | 131              | 131                 |             |
| Max Pipe Length to Each Indoor Unit | 82                 | 82                  | 98                  | 82                 | 82                  | 82               | 98                  | 230         |
| Max Total Pipe Length (ft)          | 164                | 230                 | 230                 | 164                | 230                 | 230              | 262                 | 442         |
| Max Pipe Height From ODU to IDU     | 49                 | 49                  | 49                  | 49                 | 49                  | 49               | 49                  | 98          |
| Min - Max No. of Indoor Units       | 2                  | 2-3                 | 2-4                 | 2                  | 2-3                 | 2-4              | 2-5                 | 2 - 8       |
| Max Total Evap Capacity             | 24000              | 39000               | 48000               | 24000              | 39000               | 48000            | 57000               | 62400       |
| 7,000 BTU Indoor Unit               | X                  | X                   | X                   | X                  | X                   | X                | X                   | X           |
| 9,000 BTU Indoor Unit               | X                  | X                   | X                   | X                  | X                   | X                | X                   | X           |
| 12,000 BTU Indoor Unit              | X                  | X                   | X                   | X                  | X                   | X                | X                   | X           |
| 15,000 BTU Indoor Unit              | X                  | X                   | X                   | X                  | X                   | X                | X                   | X           |
| 18,000 BTU Indoor Unit              |                    | X                   | X                   |                    | X                   | X                | X                   | X           |
| 24,000 BTU Indoor Unit              |                    |                     | X                   |                    |                     | X                | X                   | X           |
| Non-Ducted (SEER2/EER2/HSPF2)       | 16 / 12 / 8.7      | 18 / 11.7 / 9.7     | 20 / 11.7 / 9       | 16 / 11.8 / 8.7    | 18 / 11.7 / 9.7     | 18.1 / 9.2 / 9.4 | 20.6 / 10.5 / 9.3   | Coming Soon |
| Ducted (SEER2/EER2/HSPF2)           | 14.3 / 9 / 7.7     | 14.9 / 8.5 / 7.8    | 15.9 / 9.3 / 8.1    | 14.3 / 8.8 / 7.7   | 14.9 / 8.5 / 7.8    | 14.9 / 8 / 7.8   | 14.5 / 8.2 / 7.8    | Coming Soon |
| Mixed (SEER2/EER2/HSPF2)            | 15.15 / 10.5 / 8.2 | 16.45 / 10.1 / 8.75 | 17.95 / 10.5 / 8.55 | 15.15 / 10.3 / 8.2 | 16.45 / 10.1 / 8.75 | 16.5 / 8.6 / 8.6 | 17.55 / 9.35 / 8.55 | Coming Soon |

| RMXS48 System Components |                  |                                                                                                   |                               |                              |        |            |
|--------------------------|------------------|---------------------------------------------------------------------------------------------------|-------------------------------|------------------------------|--------|------------|
|                          | Maximum Capacity | Dimensions (H x W x D)                                                                            | Line Sizes & Quantity Outdoor | Line Sizes & Quantity Indoor | Weight | Price      |
| BPMKS048A2U*             | 48000            | 7 <sup>7</sup> / <sub>16</sub> x 11 <sup>1</sup> / <sub>16</sub> x 13 <sup>1</sup> / <sub>2</sub> | ⅝ (1) x ⅝ (1)                 | ¼ (2) x ⅝ (2)                | 18     | \$1,030.40 |
| BPMKS049A3U*             | 62000            | 7 <sup>7</sup> / <sub>16</sub> x 11 <sup>1</sup> / <sub>16</sub> x 13 <sup>1</sup> / <sub>2</sub> | ⅝ (1) x ⅝ (1)                 | ¼ (3) x ⅝ (3)                | 20     | \$1,289.12 |
| KHRP26A22T*              | REFNET Joint     |                                                                                                   |                               |                              |        | \$208.32   |

| Outdoor Unit Optional Accessories |                                                   | List Price |
|-----------------------------------|---------------------------------------------------|------------|
| DACA-WB-3                         | Mounting Bracket                                  | \$178.08   |
| KEH063A4E                         | Drain Pan Heater (2/3/4MXS & 2/3MXL)              | \$248.64   |
| KPW063A4                          | Air Adjustment Grille (2/3/4MXS & 2/3MXL)         | \$296.80   |
| KKG063A42                         | Back protection wire net (2/3/4MXS & 2/3MXL)      | \$230.72   |
| KKG063A43                         | Side protection wire net (2/3/4MXS & 2/3MXL)      | \$117.60   |
| RAQAHLGD1                         | Rear Coil Guard (2/3/4MXS & 2/3MXL)               | \$155.68   |
| KPS063A41                         | Snow hood (intake side plate) (2/3/4 MXS, 2/3MXL) | \$358.40   |
| KPS063A44                         | Snow hood (intake rear plate)(2/3/4 MXS, 2/3MXL)  | \$404.32   |
| KPS063A47                         | Snow hood (outlet)(2/3/4 MXS, 2/3MXL)             | \$650.72   |
| KPW082A41                         | Air Adjustment Grille (4MXL / 5MXS)               | \$810.88   |
| KEH082A41                         | Drain Pan Heater (4MXL / 5MXS)                    | \$540.96   |
| KKG082A41                         | Back protection wire net (4MXL / 5MXS)            | \$418.88   |

Refer to Accessories Page for Line Set Options

\*Contact your local distributor for availability and pricing.

Specifications and pricing subject to change without notice. All taxes and freight are extra.

Updated Jan-2023

# MXS/MXL Series Indoor Units

Up to 4.0 Ton Heat Pump

Up to 21.7 SEER & 12.7 EER & 12.5 HSPF

2, 3, 4, 5 and 8-Zone Multi-Zone

Standard Operating Range:

MXS Heating: 5°F/-15°C - 59.9°F/15.5°C

MXL Heating: -13°F/-25°C - 59.9°F/15.5°C

Cooling: 14°F/-10°C - 114.8°F/60°C

## Standard Features

- 208/230/1 Power Supply
- Up to 100% Heating capacity at 5°F / -15°C (MXL AURORA Only)
- Up to 100% Cooling capacity at 104°F / 40°C (MXL AURORA Only)
- Anti-Corrosion Treatment on Heat Exchanger
- Outdoor Unit Quiet Operation
- Auto Changeover
- Auto Restart after Power Failure
- Self Diagnostics with Digital Display



## Daikin EMURA Wall-Mount Indoor Units

| Indoor Unit  | Nominal Capacity | Sound Cooling dB(A) | Sound Heating dB(A) | Dimensions H/W/D           | Line Size & Qty | Weight | Price      |
|--------------|------------------|---------------------|---------------------|----------------------------|-----------------|--------|------------|
| FTXR09WVJUW9 | 9,000            | 38/32/25/19         | 41/34/28/19         | 11-15/16 x 39-5/16 x 8-3/8 | 1/4 x 3/8       | 27     | \$1,067.00 |
| FTXR12WVJUW9 | 12,000           | 45/34/26/20         | 45/37/29/20         | 11-15/16 x 39-5/16 x 8-3/8 | 1/4 x 3/8       | 27     | \$1,231.00 |
| FTXR18WVJUW9 | 18,000           | 46/40/35/30         | 47/41/35/30         | 11-15/16 x 39-5/16 x 8-3/8 | 1/4 x 1/2       | 27     | \$1,560.00 |
| FTXR09WVJUS9 | 9,000            | 38/32/25/19         | 41/34/28/19         | 11-15/16 x 39-5/16 x 8-3/8 | 1/4 x 3/8       | 27     | \$1,115.00 |
| FTXR12WVJUS9 | 12,000           | 45/34/26/20         | 45/37/29/20         | 11-15/16 x 39-5/16 x 8-3/8 | 1/4 x 3/8       | 27     | \$1,281.00 |
| FTXR18WVJUS9 | 18,000           | 46/40/35/30         | 47/41/35/30         | 11-15/16 x 39-5/16 x 8-3/8 | 1/4 x 1/2       | 27     | \$1,608.00 |

## Floor-Standing Indoor Units

| Indoor Unit | Nominal Capacity | Sound Cooling dB(A) | Sound Heating dB(A) | Dimensions H/W/D         | Line Size & Qty | Weight | Price      |
|-------------|------------------|---------------------|---------------------|--------------------------|-----------------|--------|------------|
| FVXS09WVJU9 | 9,000            | 38/32/26/23         | 38/32/26/23         | 23 5/8 x 27 9/16 x 8 1/4 | 1/4 x 3/8       | 31     | \$1,291.00 |
| FVXS12WVJU9 | 12,000           | 39/33/27/24         | 39/33/27/24         | 23 5/8 x 27 9/16 x 8 1/4 | 1/4 x 3/8       | 31     | \$1,425.00 |
| FVXS15WVJU9 | 15,000           | 44/40/36/32         | 44/40/36/32         | 23 5/8 x 27 9/16 x 8 1/4 | 1/4 x 1/2       | 31     | \$1,442.00 |
| FVXS18WVJU9 | 18,000           | 44/40/36/32         | 44/40/36/32         | 23 5/8 x 27 9/16 x 8 1/4 | 1/4 x 1/2       | 31     | \$1,564.00 |

## Wall-Mount Indoor Units

| Indoor Unit | Nominal Capacity | Sound Cooling dB(A) | Sound Heating dB(A) | Dimensions H/W/D         | Line Size & Qty | Weight | Price      |
|-------------|------------------|---------------------|---------------------|--------------------------|-----------------|--------|------------|
| CTXS07WVJU9 | 7,000            | 38/32/25/22         | 38/33/28/25         | 11 5/8 x 31 1/2 x 8 7/16 | 1/4 x 3/8       | 20     | \$751.00   |
| FTXS09WVJU9 | 9,000            | 41/33/25/22         | 42/35/28/25         | 11 5/8 x 31 1/2 x 8 7/16 | 1/4 x 3/8       | 20     | \$850.00   |
| FTXS12WVJU9 | 12,000           | 45/37/29/23         | 45/39/29/26         | 11 5/8 x 31 1/2 x 8 7/16 | 1/4 x 3/8       | 21     | \$869.00   |
| FTXS15WVJU9 | 15,000           | 45/40/35/32         | 43/38/33/30         | 13 3/8 x 41 1/16 x 9 3/4 | 1/4 x 1/2       | 31     | \$973.00   |
| FTXS18WVJU9 | 18,000           | 46/41/36/33         | 45/40/35/32         | 13 3/8 x 41 1/16 x 9 3/4 | 1/4 x 1/2       | 31     | \$1,024.00 |
| FTXS24WVJU9 | 24,000           | 51/44/37/34         | 48/42/37/34         | 13 3/8 x 41 1/16 x 9 3/4 | 1/4 x 5/8       | 31     | \$1,259.00 |

## Daikin VISTA 2' X 2' Ceiling Cassette Indoor Units

(Must Include Decoration Panel and controller)

| Indoor Unit | Nominal Capacity | Sound Cooling dB(A) | Sound Heating dB(A) | Dimensions H/W/D (Cabinet Only) | Line Size & Qty | Weight | Price      |
|-------------|------------------|---------------------|---------------------|---------------------------------|-----------------|--------|------------|
| FFQ09W2VJU9 | 9,000            | 38 / 35 / 29        | 38 / 35 / 29        | 10 1/4 x 22-5/8 x 22-5/8        | 1/4 x 3/8       | 36     | \$1,388.00 |
| FFQ12W2VJU9 | 12,000           | 39 / 36 / 30        | 39 / 36 / 30        | 10 1/4 x 22-5/8 x 22-5/8        | 1/4 x 3/8       | 36     | \$1,490.00 |
| FFQ15W2VJU9 | 15,000           | 40 / 37 / 31        | 40 / 37 / 31        | 10 1/4 x 22-5/8 x 22-5/8        | 1/4 x 1/2       | 36     | \$1,828.00 |
| FFQ18W2VJU9 | 18,000           | 44 / 40 / 32        | 44 / 40 / 32        | 10 1/4 x 22-5/8 x 22-5/8        | 1/4 x 1/2       | 39     | \$2,031.00 |

## FDMQ Ducted Indoor Units

(Must Include controller)

| Indoor Unit | Nominal Capacity | Sound Cooling dB(A) | Sound Heating dB(A) | Dimensions H/W/D (Cabinet Only) | Line Size & Qty | Weight | Price      |
|-------------|------------------|---------------------|---------------------|---------------------------------|-----------------|--------|------------|
| CDMQ07WVJU9 | 7,000            | 30                  | 30                  | 9 5/8 x 27 9/16 x 31 1/2        | 1/4 x 3/8       | 64     | \$1,354.00 |
| FDMQ09WVJU9 | 9,000            | 32                  | 32                  | 9 5/8 x 27 9/16 x 31 1/2        | 1/4 x 3/8       | 64     | \$1,644.00 |
| FDMQ12WVJU9 | 12,000           | 33                  | 33                  | 9 5/8 x 39 3/8 x 31 1/2         | 1/4 x 1/2       | 64     | \$1,691.00 |
| FDMQ15WVJU9 | 15,000           | 34                  | 34                  | 9 5/8 x 39 3/8 x 31 1/2         | 1/4 x 1/2       | 77     | \$1,913.00 |
| FDMQ18WVJU9 | 18,000           | 35                  | 35                  | 9 5/8 x 39 3/8 x 31 1/2         | 1/4 x 1/2       | 82     | \$2,285.00 |
| FDMQ24WVJU9 | 24,000           | 40                  | 40                  | 9 5/8 x 39 3/8 x 31 1/2         | 1/4 x 5/8       | 82     | \$2,481.00 |

Updated Jan-2023

# MXS/MXL Series Indoor Units

Up to 4.0 Ton Heat Pump

Up to 21.7 SEER & 12.7 EER & 12.5 HSPF

2, 3, 4, 5 and 8-Zone Multi-Zone

Standard Operating Range:

MXS Heating: 5°F/-15°C - 59.9°F/15.5°C

MXL Heating: -13°F/-25°C - 59.9°F/15.5°C

Cooling: 14°F/-10°C - 114.8°F/60°C

## Standard Features

- 208/230/1 Power Supply
- Up to 100% Heating capacity at 5°F / -15°C (MXL AURORA Only)
- Up to 100% Cooling capacity at 104°F / 40°C (MXL AURORA Only)
- Anti-Corrosion Treatment on Heat Exchanger
- Outdoor Unit Quiet Operation
- Auto Changeover
- Auto Restart after Power Failure
- Self Diagnostics with Digital Display



| Indoor Units Optional Accessories |                                                                                                                                                |      |               |      |               |      |        |          |
|-----------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------|------|---------------|------|---------------|------|--------|----------|
|                                   | Indoor Unit                                                                                                                                    | FTXR | CTXS/<br>FTXS | FVXS | FDXS/<br>CDXS | FFQ* | FDMQ** | Price    |
| KAF970A46                         | Titanium apatite photocatalytic air-purifying filter (without frame)                                                                           | X    |               |      |               |      |        | \$101.92 |
| KAF968B42                         | Titanium apatite photocatalytic air-purifying filter (without frame)                                                                           |      |               | X    |               |      |        | \$101.92 |
| KAF952B42                         | Titanium apatite photocatalytic air-purifying filter (without frame) - 09, 12                                                                  |      | X             |      |               |      |        | \$110.88 |
| KAF970A46                         | Titanium apatite photocatalytic air-purifying filter (without frame) - 07, 15, 18                                                              |      | X             |      |               |      |        | \$101.92 |
| DACA-ARCW901P10                   | IR Receiver Box Cable, Plenum Rated, 10ft                                                                                                      |      |               |      | X             |      |        | \$110.88 |
| DACA-ARCW901P25                   | IR Receiver Box Cable, Plenum Rated, 25ft                                                                                                      |      |               |      | X             |      |        | \$226.24 |
| KDT25N32                          | 09, 12 Class Insulation kit for high humidity                                                                                                  |      |               |      | X             |      |        | \$131.04 |
| KDT25N50                          | 15, 18 Class Insulation kit for high humidity                                                                                                  |      |               |      | X             |      |        | \$136.64 |
| BRC944B2-A08                      | Wired Remote Controller kit (Includes BRC944B2 & BRCW901A08)                                                                                   | X    | X             | X    | X             |      |        | \$275.52 |
| DACA-BRCW901P10                   | Remote Controller Cable, Plenum Rated, 10 ft (For BRC944B2)                                                                                    |      |               |      |               |      |        | \$104.16 |
| DACA-BRCW901P25                   | Remote Controller Cable, Plenum Rated, 25 ft (For BRC944B2)                                                                                    |      |               |      |               |      |        | \$187.04 |
| KRP928BB2S                        | Interface adaptor for DIII-NET                                                                                                                 | X    | X             | X    | X             |      |        | \$664.16 |
| BRC1E73                           | Wired Navigation Remote Controller                                                                                                             |      |               |      |               | X    | X      | \$452.48 |
| BRC1H71W                          | Madoka Wired Controller                                                                                                                        |      |               |      |               | X    | X      | \$0.00   |
| DACA-CP1-1                        | Condensate Pump (Fits inside all Daikin indoor unit heads - 33 ft head - 22dB)                                                                 | X    | X             |      |               |      |        | \$380.80 |
| DACA-CP2-1                        | Condensate Pump (Higher ft head needs - 50 ft head - 38db)                                                                                     |      |               | X    | X             | X    | X      | \$406.56 |
| DACA-CP3-1                        | Condensate Pump (Will not fit in certain unit size heads - 33 ft head - 22dB)                                                                  |      |               |      | X             | X    | X      | \$311.36 |
| BRC082A42W                        | Wireless Remote Controller (White)                                                                                                             |      |               |      |               | X    |        | \$362.88 |
| BRYQ60A2S                         | Sensor kit (Silver) Intelligent Eye, Comfort Airflow, and Floor Sensor                                                                         |      |               |      |               | X    |        | \$285.60 |
| BRYQ60A2W                         | Sensor kit (White) Intelligent Eye, Comfort Airflow, and Floor Sensor                                                                          |      |               |      |               | X    |        | \$240.80 |
| BYFQ60C2W1S                       | Low Profile Decoration Panel (Silver) - 1- <sup>13</sup> / <sub>16</sub> × 24- <sup>7</sup> / <sub>16</sub> × 24- <sup>7</sup> / <sub>16</sub> |      |               |      |               | X    |        | \$315.84 |
| BYFQ60C2W1W                       | Low Profile Decoration Panel (White) - 1- <sup>13</sup> / <sub>16</sub> × 24- <sup>7</sup> / <sub>16</sub> × 24- <sup>7</sup> / <sub>16</sub>  |      |               |      |               | X    |        | \$268.80 |
| BDBHQ44C60                        | Sealing member of air discharge outlet                                                                                                         |      |               |      |               | X    |        | \$314.72 |
| KAF441C60                         | Long-life filter                                                                                                                               |      |               |      |               | X    |        | \$155.68 |
| AZAI6WSCDKB                       | DKN Residential Cloud Wi-Fi Adaptor (For use with DKN Cloud NA App)                                                                            | X    | X             | X    | X             |      |        | \$0.00   |
| DTST-ONE-ADA-A                    | Daikin ONE+ Smart Thermostat                                                                                                                   | X    | X             | X    | X             | X    | X      | \$0.00   |
| AZAI6WSCDKA                       | DKN Cloud WiFi Adapter                                                                                                                         |      |               |      |               | X    | X      | \$0.00   |
| AZAI6WSPDKC                       | DKN Plus Interface                                                                                                                             | X    | X             | X    | X             | X    | X      | \$0.00   |
| KRCSH2018-01                      | Button Sensor Kit                                                                                                                              |      |               |      |               | X    | X      | \$0.00   |
| DFBS27A13                         | MERV 13 Filter Kit (09,12)                                                                                                                     |      |               |      |               |      | X      | \$448.00 |
| DFBS39A13                         | MERV 13 Filter Kit (15,18,24)                                                                                                                  |      |               |      |               |      | X      | \$532.00 |
| SQM13A20                          | Repl 20" MERV13 Filter SQ 6/BX                                                                                                                 |      |               |      |               |      | X      | \$437.92 |
| SQM13A25                          | Repl 25" MERV13 Filter SQ 6/BX                                                                                                                 |      |               |      |               |      | X      | \$487.20 |
| BRC082A43                         | Wireless Remote Controller                                                                                                                     |      |               |      |               |      | X      | \$477.12 |
| BRCW901A03                        | Wired Remote Controller Cord - 3m (For BRC944B2)                                                                                               |      |               |      |               |      |        | \$34.72  |

\* Must include one controller and one decoration panel for each FFQ

\*\* Must include one controller for each FDMQ

Updated Jan-2023