



STRUCTURAL SHOWER SYSTEMS

PRODUCTS, FEATURES, BENEFITS & APPLICATIONS

PRODUCT CATALOG 2022

**The most innovative
curbless shower system
on the market.**



**CURBLESS &
CURBED
SYSTEMS**



Stay ahead of the curb with KurbX.

CURBLESS

Install the easiest tile-over
curbless shower system
on the market!

TABLE OF CONTENTS

KurbX[®] Product Catalog 2022

CURBLESS AND CURBED SHOWER SYSTEMS

Benefits and Details

PAGES 3-4

SHOWER PANS

KurbX[®] Customizable Structural Shower Pans

PAGES 5-6

INSTALLATION PACKAGES

KurbX[®] Installation Packages

PAGES 7, 8, 9 & 10

SHOWER DRAINS

KurbX[®] 4" Square Drain Assemblies

PAGES 11-12

SHOWER CURBS

KurbIT[®] Shower Curbs

PAGES 13-14

WATERPROOFING KITS

KurbX[®] Waterproofing Solutions

PAGES 15-16

WATERPROOFING PRODUCTS

SEELIT[®] Waterproofing A La Carte Items

PAGES 17-18

STEP-BY-STEP CUSTOM ORDER

Curbless and Curbed shower installation kit from start to finish

PAGE 19-20

INSTALLATION RESOURCES

Access video tutorials and CAD drawings

PAGE 21

WARRANTIES AND CONDITIONS

Legal Agreement

PAGE 22



KurbIT!

Add our proprietary low profile curb to any KurbX system to create a curbed shower.

BENEFITS AND DETAILS

KurbX® Curbless and Curbed Shower Systems



QUICK & EASY ASSEMBLY

Simple, 3 part screwless drain assembly is self contained.



10 YEAR WARRANTY

System carries a standard 10 year limited warranty.



NO MORTAR REQUIRED

No mortar required for most pan installations.



LUXURY MEETS FUNCTIONALITY

Clean curbless look with precision engineered gradients / slopes.



IDEAL FOR MULTIPLE INSTALLATION TYPES

Direct to joists, solid wood substrates, concrete slab and 2nd floor & higher concrete.



CURBLESS OR CURBED

Add a proprietary low profile curb to any curbless KurbX system to create a curbed shower.

- All pan sizes can be cut to any shape or size on site or place them side by side for large showers.
- Structural pans can span 16" OC joists making curbless installs easy and cost effective.
- No thinset required for pan installation on wood substrates.
- No special thin-set or grout required for small mosaic tile installations
- Ideal installation can be ready for tile the same day.
- Can be installed during rough framing phase of construction.
- Unique, textured pan surface provides superior waterproofing adhesion.
- Drains are centered in pan for optimal design orientation making large format installations flawless.
- Drain connection to the pan is self contained which removes the need for any additional waterproofing or gaskets.
- System is compatible with any size or style of solid surface floor covering or heating application.
- Highly competitive pricing in both curbed and curbless shower markets.



**BEGIN
STEP-BY-STEP
PRODUCT
SELECTION**

SHOWER PANS

KurbX[®] Customizable Structural Shower Pans

KurbX structural pans can be set to any substrate


APPLICATION



CURBLESS



CURBED




- Perfect for curbed or curbless installations.
- Sets directly to joists, solid wood substrates and concrete.
- Pans can be cut to any size on-site.
- Unique high grade SMC formulation.
- Cross linked rib design provides superior strength while reducing carry weight.
- Computer aided cellular structure design.
- Thin profile - only 15/16" thick at perimeter.
- Pre formed fixing holes for fastening pan to substrate.
- Precision engineered slopes to ensure proper water drainage.
- Centered drain for aesthetically pleasing finish with large or small format tile.
- 100% recyclable.

SIZE OPTIONS | ITEM NUMBERS


60" X 36" KurbX®
Center Drain Shower Pan

SB6036-CD




60" X 36" KurbX®
Off Set Drain Tub Replacement

SB6036-OD-TR




48" X 48" KurbX®
Center Drain Shower Pan

SB4848-CD




60" X 48" KurbX®
Center Drain Shower Pan

SB6048-CD




59" X 59" KurbX®
Center Drain Shower Pan

SB6060-CD



71" X 47 1/4" KurbX®
Center Drain Shower Pan

SB7248-CD



INSTALLATION PACKAGES

KurbX[®] Installation Packages

Our extensive on-site experience has allowed us to develop a variety of installation packages that will assist the installer with any type of installation.



PACKAGES FOR COMMERCIAL PROPERTIES UPON REQUEST

High rises, hotels, 2nd floor & higher concrete installation packages are available. Contact us for questions and inquiries.



➤ KurbX Installation Packages provide:

Increased installation efficiency for every trade.
All necessary parts needed per installation type.
A package for every substrate.

INSTALLATION PACKAGE 1

Wood Substrate Installation Package With Drain Support Block

APPLICATION



CURBLESS

Installations on **ALL** wood substrates.



CURBED

Installations on **ALL** wood substrates when there is **NO** plumbing access from underneath.



ITEMS INCLUDED

- 1 Proprietary drain support block (DSB)
- 2 DSB cleats
- 1 Drain Waste Connector **Choose from PVC (white) or ABS (black)**
- 1 Mini tube of pure silicone
- 6 10oz tubes of top-grade Polyurethane Construction adhesive
- 20 Coated deck screws for fastening the pan to the substrate
- 1 2" driver bit

2" DRAIN OPTIONS | ITEM CODES

IP-1-PVC



Package 1 - PVC

Package items include one **WHITE PVC** Drain Waste Connector

IP-1-ABS



Package 1 - ABS

Package items include one **BLACK ABS** Drain Waste Connector

INSTALLATION PACKAGE 2

Wood Substrate Installation Package

APPLICATION



CURBED

Installations on **ALL wood substrates** when there **IS plumbing access from underneath**.



ITEMS INCLUDED

- 1 Drain Waste Connector **Choose from PVC (white) or ABS (black)**
- 1 Mini tube of pure silicone
- 4 10oz tubes of top-grade Polyurethane Construction adhesive
- 20 Coated deck screws for fastening the pan to the substrate
- 1 2" driver bit

2" DRAIN OPTIONS | ITEM CODES

IP-2-PVC



Package 2 - PVC

Package items include one **WHITE PVC** Drain Waste Connector

IP-2-ABS



Package 2 - ABS

Package items include one **BLACK ABS** Drain Waste Connector

INSTALLATION PACKAGE 3

Wood or Concrete Substrate Package For New Construction

APPLICATION



CURBLESS



CURBED



ITEMS INCLUDED

- 1 PVC Drain Waste Connector **Choose from PVC (white) or ABS (black)**
- 1 Mini tube of pure silicone
- 20 Coated deck screws for fastening the pan to the substrate. **(Note: Use concrete anchors or tap cons for concrete installations) - Not provided**
- 1 2" driver bit

2" DRAIN OPTIONS | ITEM CODES

IP-3-PVC



Package 3 - PVC

Package items include one
WHITE PVC Drain Waste Connector

IP-3-ABS



Package 3 - ABS

Package items include one
BLACK ABS Drain Waste Connector

SHOWER DRAINS

KurbX® 4" Square Drain Assemblies

Our solid 304 Stainless Steel grate and frame provides strength and durability without compromising design. KurbX will soon offer 4 grate finishes to meet the aesthetic eye of both the designer and homeowner.




LIFETIME GUARANTEE

Drain Grates & Assemblies



10 YEAR WARRANTY

Drain Connectors



- Our snap in grates set firm but remain easy to remove for cleaning using the provided grate key. The threaded throat has been manufactured with precision to ensure a perfect fit with the KurbX drain waste connector every time.

Our threaded drain throat provides a height adjustment which accommodates floor coverings that range in thickness from 1/4" to 1 1/4". Plenty of height adjustment even when combining heated floor systems and thicker floor coverings.

FINISHES | ITEM CODES

Grid Pattern Drain




ADDITIONAL GRATE DESIGNS IN ALL 4 FINISHES COMING SOON!

Our Matte Black and ORB drain finishes are achieved through a high grade coating process to ensure a quality finish for the life of the shower. Made from solid 304 SS.



FINISH OPTIONS | ITEM CODES

GP-100-BS



Brushed Stainless
Grid Pattern

GP-200-CH



Chrome
Grid Pattern

GP-300-ORB



Oil rubbed bronze
Grid Pattern

GP-400-MB



Matte Black
Grid Pattern

SHOWER CURBS


KurbIT[®] - Low Profile Shower curbs

APPLICATION



CURBED

Simply add a **KurbIT[®] shower curb** to any pan to create a beautiful curbed shower



KurbIT!

Add our proprietary low profile curb to any KurbX system to create a curbed shower.

- > KurbIT shower curbs are made of strong, high density EPS foam (3.25 psi)

We've combined our 2' & 3' curbs to create 4', 5' and 6' curbs. For larger showers, simply add the necessary individual curb sizes to achieve your desired curb length.

They are specifically engineered to fit the pan at the floor creating a straight, low profile curb that is easy to install, waterproof and tile.

LENGTHS | ITEM CODES

24" KurbIT® Shower Curb

24" Curb & 2 tile spacers

| KurbIT-24



36" KurbIT® Shower Curb

36" Curb & 2 tile spacers

| KurbIT-36



36" Shower KurbIT® Curb & Covers

36" Curb, 2 tile spacers & 2 SeeLIT covers

| KurbIT-36-COV



48" KurbIT® Shower Curb & Covers

Two 24" curbs, 4 tile spacers & 2 SeeLIT covers

| KurbIT-48-COV



60" KurbIT® Shower Curb & Covers

24" curb & 36" curb, 4 tile spacers & 2 SeeLIT covers


| KurbIT-60-COV



72" KurbIT® Shower Curb & Covers

Two 36" curb, 4 tile spacers & 2 SeeLIT covers

| KurbIT-72-COV



WATERPROOFING KITS

SEELIT® - KurbX® Waterproofing Solutions

Whether you're looking to waterproof your shower only or the entire bathroom, KurbX has the solution to a seamless, watertight bathroom.



EASY APPLICATION

Shower Floors and Walls



TILE CRACK PREVENTION

Up to 3/8"



- > Approved for steam showers.

See page 17 for **SEELIT® Liquid Waterproofing** uses, limitations and dry time.

Do not apply to concrete where hydrostatic pressure is present. Membrane must be covered by finish flooring. Do not use to bridge existing expansion joints. Follow TCNA guidelines for deflection criteria on wood substrate.

WATERPROOFING KIT 1

SEELIT® – liquid waterproof Membrane MAX

Approx. 100-110 sq. ft. Coverage

I SEELIT-MAX-1000



ITEMS INCLUDED

- 1 2 gallons of waterproofing
- 1 82' of Joint tape
- 4 Internal corners
- 2 External corners
- 1 Tube of acrylic caulk
- 1 4" disposable brush
- 1 Pair of gloves
- 1 Paint roller cover
- 1 Paint roller handle

WATERPROOFING KIT 2

SEELIT® – liquid waterproof Membrane MIN

Approx. 25-30 sq. ft. Coverage

I SEELIT-MIN-500



ITEMS INCLUDED

- 1 1/2 gallon of waterproofing
- 1 27' of Joint tape
- 4 Internal corners
- 2 External corners
- 1 Tube of acrylic caulk
- 1 4" disposable brush
- 1 Pair of gloves
- 1 Paint roller cover
- 1 Paint roller handle

WATERPROOFING PRODUCTS

SEELIT® - A La Carte Items

Choose any additional waterproofing items for your curbless or curbed shower project.

SEELIT® - Liquid Waterproofing



PAIL SIZES | ITEM CODES

2 Gal - SEELIT®

Liquid Waterproofing Pail

Approx. 100-110 sq. ft. Coverage

SEELIT-SOLO-2GAL

1/2 Gallon - SEELIT®

Liquid Waterproofing Pail

Approx. 25-30 sq. ft. Coverage

SEELIT-SOLO-1/2GAL

- Ready to use liquid latex waterproofing and crack prevention membrane specifically formulated for use beneath commercial and residential tile and stone interior and exterior applications. SEELIT Liquid Waterproofing elastomeric properties reduce the risk of substrate cracks transferring to finished tile and stone flooring while providing a continuous moisture barrier for wet areas.

Dry time is typically 1 hr depending on room conditions.

LIMITATIONS: Do not apply to concrete where hydrostatic pressure is present. Do not use as adhesive. Membrane must be covered by finish flooring. Do not use to bridge existing expansion joints. Follow TCNA guidelines for deflection criteria on wood substrate.

USE ON: Use SEELIT® - Liquid Waterproofing on concrete (porous, non porous or light weight), gypcrete, OSB, existing vinyl, epoxy coatings, glazed or unglazed existing tile, natural stone, yerrazzo, PVC, steel, aluminum, stainless steel, adhesive residue, cement backer boards and polystyrene foam.

A-LA-CARTE | ITEM CODES

SEELIT® Joint Tape 82' roll

| SEELIT-JT-82



SEELIT® Joint Tape 27' roll

| SEELIT-JT-27



SEELIT® Internal Corners

| SEELIT-INT-2



SEELIT® External Corners

| SEELIT-EXT-2



SEELIT® Covers

| SEELIT-COVERS



Product selection

**PICK ITEM CODE(S)
FROM EACH STEP**



**FOLLOW STEPS
INDICATED
ON EACH PAGE**

STEP-BY-STEP ORDERING GUIDE

Curbless and Curbed shower installation kit from start to finish

Kurbx offers all products and installation packages needed for a complete shower system. Follow the steps below to pick the right products for your project.

STEP 1

Choose a shower pan

PAGES 5-6

All shower pans can be cut to size or the pitch of the pan can be extended. Cutting the pan is usually the best option.

2 or more pans can be installed together to achieve larger showers but remember to order 1 drain assembly and 1 installation package per pan.

STEP 2

Choose an installation package

PAGES 7, 8, 9 & 10

STEP 3

Choose a drain assembly

PAGES 11-12

STEP 4

For a curbed shower, choose a curb(s)

PAGES 13-14

All KurbX shower curbs are 2' & 3' in length. We've combined the 2' & 3' curbs to create 4', 5' and 6' curb packages that also include 1 set of curb covers for waterproofing and tile spacers for setting the curb in thin-set. You can order additional curbs to create any length you need.

STEP 5

Choose a Waterproofing Kit

PAGES 15-16

STEP 6

Choose any additional waterproofing items

PAGES 17-18

INSTALLATION RESOURCES

Access video tutorials and cad drawings

View detailed installation video tutorials
and architect drawings at [kurbx.com](https://KurbX.com).



CONTACT US

Interested in becoming a distributor of **KurbX**® products?

For inquiries contact us at:

815 747-6700 | INFO@KURBX.COM



SEELIT® **KurbIT**®



KurbX.com



WARRANTIES AND CONDITIONS

Legal Agreement

WARRANTIES AND OBLIGATIONS

KurbX warrants to Buyer that it holds and will pass marketable title to the goods sold hereunder. Certain of KurbX products come with a Limited Warranty. IF Buyer is not the end user of the of the goods sold hereunder, Buyer agrees to provide to any immediate buyer (Remote Purchaser) the Limited Warranty and Disclaimer to End-Use (Remote) Purchasers issued by KurbX for the Limited Warranty applicable to KurbX's products. Please refer to KurbX's published literature that accompanies or relates to those products. Any remedies stated in such warranties are the exclusive and only remedies provided by KurbX for the breach of Warranty. Certain of KurbX's Limited Warranties exclusive coverage for any product that is moved to a new location. KurbX's products should never be reused without prior written consent by KurbX.

EXCLUSIONS AND CONDITIONS

KurbX's obligations with respect to the express warranties and remedies contained herein are conditioned on the following: (i) Buyer's return of nonconforming goods, if authorized by KurbX (excluding freight and labor) and (ii) be installed by individuals trained and certified as a professional with respect to such installations and be installed, used, repaired and maintained by Buyer and Remote Purchaser in accordance with KurbX's warnings and instructions, National, State and Local codes or regulations.

DISCLAIMER OF IMPLIED WARRANTIES

KurbX gives no warranties to Buyer except those expressly contained herein. KurbX disclaims all other warranties implied by law, usage of the trade, course of dealing or course of performance including, but not limited to, the implied warranties of merchantability and fitness for a particular purpose.

INDEMNIFICATION

Buyer agrees to indemnify, hold harmless and defend KurbX from and against all claims and lawsuits, including attorney's fees, to the extent of the Buyer's negligent acts or omissions to act cause injury, damage or loss to customers of KurbX's products.

LIMITATIONS OF LIABILITY

The following limitations of KurbX's liability are acknowledged by the parties to be fair and reasonable and shall apply to any act or omission hereunder, and to any breach of this contract of which these terms and conditions form a part.

DISCLAIMER OF DAMAGES

In no event shall KurbX be liable for special, indirect, consequential or incidental damages whether arising under contract, warranty, tort, negligence, strict liability or any other theory of liability. Such damages include, but are not limited to, loss of profits, loss of use of the goods, damage to property and claims of third parties.

REPLACEMENT OF PARTS/ADAPTORS

Buyer acknowledges that if KurbX supplies parts and/or adaptors, and Buyer replaces a part or adaptor produced by another manufacturer, then all of KurbX's warranties to Buyer and to Remote Purchaser will be voided and Buyer will assume all liability for any damage, injury or loss suffered by Remote Purchaser arising out of this unauthorized modification.

NOTICE OF TIME OF CLAIMS

Buyer agrees to inspect all products against shipping papers and for damage or shortage upon receipt of goods at destination and every claim for loss, damage in transit, or other cause visible upon inspection shall be made with carrier. Claims of shortage must be made within 5 days of receipt.



SEELIT®

KurbIT®

**The most innovative curbless
shower system on the market.**

815 747-6700 | INFO@KURBX.COM | ISSUE DATE 01.01.2022



KurbX.com

ARCAT

