



# PRODUCTS

## Prime Flat-Rolled

### MAJESTIC STEEL SALES

info@majesticsteel.com  
31099 Chagrin Boulevard #150  
Cleveland, OH 44124

TELE 800.321.5590  
FAX 440.786.0576

 Unravel  
Coil Calculator

|              |                         |
|--------------|-------------------------|
| Galvanized   | Cold Rolled             |
| Galvannealed | Phosphatized/Bonderized |
| Galvalume®   | Stainless Steel         |
| Aluminized   | Pre-painted             |

## Grades

|                         |        |                          |         |
|-------------------------|--------|--------------------------|---------|
| Commercial Steel        | (CS)   | Deep Drawing Steel       | (DDS)   |
| Commercial Steel Type-B | (CS-B) | Extra Deep Drawing Steel | (EDDS)  |
| Forming Steel           | (FS)   | Structural Steel         |         |
| Drawing Steel           | (DS)   | Structural Grade 50      | (SS 50) |

## Stock Coils Widths

|                         |
|-------------------------|
| 36 Inches               |
| 48 Inches               |
| 60 Inches               |
| 72 Inches               |
| Spiral duct coil        |
| Custom widths available |

## Stock Sheet Sizes

|                             |
|-----------------------------|
| 36 x 96 Inches              |
| 36 x 120 Inches             |
| 48 x 96 Inches              |
| 48 x 120 Inches             |
| 60 x 120 Inches             |
| 2,500 & 5,000-pound bundles |
| Custom sizes available      |

## Decimals (Gauges)

0.0127 Inch min–0.1591 Inch min  
(30 gauge–8 gauge)

Custom sizes, grades and coating weights  
readily available upon request.







# PRODUCTS

## Prime Flat-Rolled

# MAJESTIC STEEL SALES

info@majesticsteel.com  
31099 Chagrin Boulevard #150  
Cleveland, OH 44124

TELE 800.321.5590  
FAX 440.786.0576



## Unravel Coil Calculator

## Processing Capabilities

|                   |                         |
|-------------------|-------------------------|
| Galvanized        | Cold Rolled             |
| Galvannealed      | Phosphatized/Bonderized |
| <b>Galvalume®</b> | Stainless Steel         |
| Aluminized        | Pre-painted             |

## Galvalume® Steel

Galvalume® steel is coated with an aluminum-zinc alloy that combines the corrosion protection of aluminum with the galvanic protection of zinc.

|                         |        |                         |      |
|-------------------------|--------|-------------------------|------|
| Commercial Steel Type B | (CS-B) | Drawing Steel           | (DS) |
| Forming Steel           | (FS)   | Structural Grades 33-80 | (SS) |

## Stock Coils Widths

36-Inch  
48-Inch  
Custom sizes available

## Stock Sheet Sizes

48x96    Inches  
48x120    Inches  
Custom sizes available

## Decimals (Gauges)

0.0187 Inch min–0.0466 Inch min  
(26 gauge–18 gauge)

## Coating Weights

AZ50  
AZ55  
Others available upon request

Custom sizes, grades and coating weights readily available upon request.



# PRODUCTS

## Prime Flat-Rolled

### MAJESTIC STEEL SALES

info@majesticsteel.com  
31099 Chagrin Boulevard #150  
Cleveland, OH 44124

TELE 800.321.5590  
FAX 440.786.0576

 Unravel  
Coil Calculator

[Processing Capabilities](#)

|              |                         |
|--------------|-------------------------|
| Galvanized   | Cold Rolled             |
| Galvannealed | Phosphatized/Bonderized |
| Galvalume®   | Stainless Steel         |
| Aluminized   | Pre-painted             |

### Aluminized Steel

Aluminized steel has been coated with an aluminum-silicon alloy, making it great for use in heat exchangers in residential furnaces and commercial HVAC units.

|                         |        |                          |        |
|-------------------------|--------|--------------------------|--------|
| Commercial Steel Type B | (CS-B) | Extra Deep Drawing Steel | (EDDS) |
| Forming Steel           | (FS)   | Structural Grades 33-80  | (SS)   |
| Deep Drawing Steel      | (DDS)  |                          |        |

### Stock Coils Widths

36-Inch  
48-Inch  
60-Inch  
Custom sizes available

### Stock Sheet Sizes

Please inquire about Aluminized sheet sizing.

### Coating Weights

T125  
T140

### Decimals (Gauges)

0.0236 Inch min–0.0994 Inch min  
(24 gauge–12 gauge)

Custom sizes, grades and coating weights readily available upon request.



# PRODUCTS

## Prime Flat-Rolled

### MAJESTIC STEEL SALES

info@majesticsteel.com  
31099 Chagrin Boulevard #150  
Cleveland, OH 44124

TELE 800.321.5590  
FAX 440.786.0576



Galvanized

Galvannealed

Galvalume®

Aluminized

Cold Rolled

Phosphatized/Bonderized

Stainless Steel

Pre-painted

### Cold Rolled Steel

Cold Rolled steel gains its strength from the cold rolling process in which the steel is formed into sheets at room temperature.

Commercial Steel Type B (CS-B)

Extra Deep Drawing Steel (EDDS)

Drawing Steel (DSB)

Structural Grades 25-80 (SS)

Deep Drawing Steel (DDS)

### Stock Coils Widths

36-Inch

48×96 Inches

48-Inch

48×120 Inches

60-Inch

60×120 Inches

Custom sizes available

Custom sizes available

### Stock Sheet Sizes

### Decimals (Gauges)

0.0209 Inch min – 0.1285 Inch min  
(24 gauge – 10 gauge)

Custom sizes, grades and coating weights readily available upon request.





# PRODUCTS

## Prime Flat-Rolled

### MAJESTIC STEEL SALES

info@majesticsteel.com  
31099 Chagrin Boulevard #150  
Cleveland, OH 44124

TELE 800.321.5590  
FAX 440.786.0576



|              |                         |
|--------------|-------------------------|
| Galvanized   | Cold Rolled             |
| Galvannealed | Phosphatized/Bonderized |
| Galvalume®   | Stainless Steel         |
| Aluminized   | Pre-painted             |

### Stainless Steel

Stainless steel does not readily corrode, rust or stain when exposed to air and moisture due to its high chromium content.

|          |           |
|----------|-----------|
| 301      | 430       |
| 304/304L | #3 Polish |
| 316/316L | #4 Polish |

### Stock Coils Widths

36-Inch

48-Inch

60-Inch

Custom sizes available

### Decimals (Gauges)

0.020 Inch min–0.128 Inch min  
(26 gauge–10 gauge)

Custom sizes, grades and coating weights readily available upon request.



# PRODUCTS

## Prime Flat-Rolled

### MAJESTIC STEEL SALES

info@majesticsteel.com  
31099 Chagrin Boulevard #150  
Cleveland, OH 44124

TELE 800.321.5590  
FAX 440.786.0576

Unravel  
Coil Calculator

|              |                         |
|--------------|-------------------------|
| Galvanized   | Cold Rolled             |
| Galvannealed | Phosphatized/Bonderized |
| Galvalume®   | Stainless Steel         |
| Aluminized   | Pre-painted             |

### Pre-painted Steel

Prepainted (a.k.a. coil coated) steel is substrate that is painted on both sides simultaneously as a flat metal strip in a continuous, automated and extremely efficient process at high speeds.

## Unique Program Offerings

Like all of Majestic's galvanized customers, our prepainted steel customers benefit from unique program offerings that are customized by our team on an individual basis. We start with sourcing: as the largest purchaser of substrate in the market, we're able to provide flexibility of sourcing from all manufacturers.

After purchase, our long-standing relationships in the industry allow us to leverage the capability of coating companies to ensure our customers are always getting what they need, when they need it, at the fairest possible price.

## The Majestic Difference

We work directly with clients on everything from inventory hold programs to supply chain management to friendly credit terms in order to design the best program for our customer's specific needs.

Custom sizes, grades and coating weights readily available upon request.



# PROCESSING

## Capabilities

---

### MAJESTIC STEEL SALES

info@majesticsteel.com  
31099 Chagrin Boulevard #150  
Cleveland, OH 44124

TELE 800.321.5590  
FAX 440.786.0576



Unravel  
Coil Calculator

### Cut-To-Length Specifications

---

Width capacity 72 inches  
Length capacity  
12 inches–215 inches

### Decimals (Gauges)

---

0.010 inch–0.159 inch  
(32 gauge–8 gauge)

### Slit Coil Specifications

---

Minimum 0.5 inch cuts  
ID capacity 20 inches  
OD capacity 72 inches  
Width tolerance +/- 0.005 inch

0.010 inch–0.159 inch  
(32 gauge–8 gauge)

### Shearing Specifications

---

Minimum 1.0 inch cuts  
Width capacity 120 inches  
Length capacity 120 inches

0.010 inch–0.159 inch  
(32 gauge–8 gauge)

[Back To Products](#)