

**Mueller Streamline Co. Headquarters**

150 Schilling Blvd  
Suite 201  
Collierville, Tennessee 38017  
United States  
Phone: 901 753 3200

**Mueller Streamline Co. International**

525 Okeechobee Blvd  
Suite 860  
West Palm Beach, FL 33401  
United States  
Phone: 561 273 8300

**ITEM # RP01947, ACR PRESS EXTENDED NO-STOP COUPLING, P X P, 1/4" OD**

Streamline® is the best known, most trusted name in the industry—with a nearly 100-year history of providing the best-in-class products you need to work more efficiently and productively. The ACR Press System is the latest example of the industry-leading innovation and commitment to customer needs that make Streamline® the standard for excellence.



[Details](#) | [Specifications](#) | [Dimensions](#) | [Packaging](#)

**Details**

Approved for use with Type ACR, L, K hard and soft copper tube.

Industry-leading Two Ring Advanced Press (T.R.A.P.) Technology

DualSeal™ Ring Design provides superior sealing and joint strength with 200% more surface contact.

TrapZone™ Leak Barrier precisely designed spacing between the two pressed sealing rings acts as a dead zone or barrier for refrigerant molecules and further ensures leak protection

Force360™ Press Contour provides more uniform joint compression and sealing performance.

Tri-Lock™ Press Profile creates superior joint strength and pressure handling capabilities.

Compatible with R410A and other commonly used refrigerant gases and oils.

Proprietary Streamline® ACR Press Jaws available from Milwaukee® Tool.

Compatible with leading full-size press tools on the market.

Includes a 10-year limited warranty against defects in material and workmanship.

## Specifications

<b>Weight</b>	0.05 lb
<b>Material</b>	COPPER
<b>Operating Temperature [Min]</b>	-40 °F
<b>Operating Temperature [Max]</b>	250 °F
<b>End Type</b>	ACR Press
<b>End Size</b>	1/4 in
<b>Second End Type</b>	ACR Press
<b>Second End Size</b>	1/4 in

## Dimensions

<b>Overall Length</b>	3.94 in
-----------------------	---------

**Overall Height**

0.48 in

**Overall Width**

0.48 in

## Packaging

**Qty Pcs / Bag**

5

**Master Qty Pcs / Box**

600

**UPC Code**

685768452720