


Page 1 of 2	Fastenal Product Standard	REV-08
Date: November 8, 2022	FASTENAL	HCS.GR5.P

Hex Cap Screw, Grade 5, Plain

This product standard contains the required dimensional, mechanical, performance, and chemical characteristics of the products shown in this purchase order (as applicable to the product). Unless specified below, current revisions of national or international standards shall be applicable as of the date of Fastenal's purchase order and must be adhered to in their entirety. If the order received does not meet these requirements, corrective action may be issued which could jeopardize your status as an approved supplier to Fastenal.



Nominal Size	E		F		H	
	Full Size Body Diameter		Width Across Flats		Head Height	
	Max.	Min.	Max.	Min.	Max.	Min.
1/4	0.2500	0.2450	0.438	0.428	0.163	0.150
5/16	0.3125	0.3065	0.500	0.489	0.211	0.195
3/8	0.3750	0.3690	0.562	0.551	0.243	0.226
7/16	0.4375	0.4305	0.625	0.612	0.291	0.272
1/2	0.5000	0.4930	0.750	0.736	0.323	0.302
9/16	0.5625	0.5545	0.812	0.798	0.371	0.348
5/8	0.6250	0.6170	0.938	0.922	0.403	0.378
3/4	0.7500	0.7410	1.125	1.100	0.483	0.455
7/8	0.8750	0.8660	1.312	1.285	0.563	0.531
1	1.0000	0.9900	1.500	1.469	0.627	0.591
1 1/8	1.1250	1.1140	1.688	1.631	0.718	0.658
1 1/4	1.2500	1.2390	1.875	1.812	0.813	0.749
1 3/8	1.3750	1.3630	2.062	1.994	0.878	0.810
1 1/2	1.5000	1.4880	2.250	2.175	0.974	0.902

Length and Thread Length per ASME B18.2.1

RECORD OF REVISION CHANGES TO THIS DOCUMENT ARE LOCATED ON THE LAST PAGE

Page 2 of 2	Fastenal Product Standard	REV-08
Date: November 8, 2022	<i>FASTENAL</i>	HCS.GR5.P

Specification Requirements:

- Dimensions: ASME B18.2.1
- Material: SAE J429; Grade 5
- Mechanical: SAE J429; Grade 5
- Threads: ASME B1.1, UNC, UNF & UNS, Class 2A
- Product Marking: Manufacturer's ID and 3 radial lines 120 degrees apart
- Finish: Light Protective Oil
- Material Test Reports: The MTR must have documented lot traceability, dimensional results, full chemical test results and full mechanical test results to the specification(s) above. In addition, the MTR shall be in full compliance with Fastenal's MTR Requirements.

Revision Level Changes to this Document

Document Name	Revision Level	Revision Date	Rationale for Revision
HCS.GR5.P	07	6/1/2021	Added UNS designation and updated format.
HCS.GR5.P	08	11/8/2022	Refined image.

The rationale above may not include all of the changes within each revision. A complete review of the Fastenal Product Standard is required.