

PRODUCTS FOR SCHOOLS & FACILITIES



DRINKING FOUNTAINS

BRITA® HYDRATION STATION™

EMERGENCY RESPONSE

Haws manufactures a complete line of high-quality drinking fountains as well as emergency response equipment. Haws now offers the new Brita® Hydration Station™, a convenient, touch-free alternative to bottled water. This catalog represents the most popular units in each category. A comprehensive roster of all Haws models can be found at www.hawsco.com.



ABOUT HAWS



GLOBAL CUSTOMERS

::

GLOBAL VISION

::

LOCAL SERVICE

For over 105 years, Haws Corporation has been committed to bringing the highest quality water delivery and emergency equipment products to schools all over the world.

As a global manufacturer, we produce a wide array of products to meet the varying needs of our school and institutional customers worldwide. From our architecturally enhanced drinking fountains, to our revolutionary new Brita® Hydration Station™, Haws is well equipped to meet the many demands of our customers.

Haws is represented in over 80 countries and has manufacturing facilities in the U.S., Singapore, Switzerland, and Brazil. This dedication to global partnership ensures that Haws can meet local demand on a global basis.

HYDRATE FOR HEALTH



BRITA
HYDRATION STATION™

Providing students with quality drinking water is important. In order to help operate at their body and mind's full performance potential, it is essential that children consume fresh, clean water throughout the day. Accomplishing proper hydration at school can be a challenge — now there's a solution!

Introducing the Brita® Hydration Station™, a touch-free, hygienic, water dispenser that allows students to enjoy the benefits of healthier*, great-tasting water, just like they do at home!

The Brita® Hydration Station™... great-tasting water away-from-home.

*Certified to reduce Lead & Cysts. Substances reduced may not be in all user's water.

The BRITA trademark and logo are registered trademarks of Brita, LP and are used under license by Haws Corporation®. All rights reserved.

BRITA® HYDRATION STATION™



Haws is committed to building an attitude of innovation and environmental responsibility. The new Brita® Hydration Station™ is a testament to this commitment. There are two models offered, providing even more options for great-tasting, Brita® filtered water away-from-home.

Model 2000 is a semi-recessed, wheelchair accessible, plumbed in, bottle or cup filling station. Constructed of durable ABS plastic and 16-gauge, Type 304 Stainless Steel, it has an electric sensor for touch-free, hygienic operation and has antimicrobially treated components to prevent the growth of mold and mildew.

Model 2000SM is a surface-mount bottle or cup filling station similar to the 2000, but wall mounted with an integrated drain bucket. The 2000SM is perfect for applications where cutting into a wall is not an option or where the application is temporary. This unit can be installed on virtually any indoor wall where there is a local water supply and 110V outlet nearby.

Both models of the Brita® Hydration Station™ offer superior* filtration technology. The Brita® Hydration Station™ is the only public NSF/ANSI 53 certified drinking water system on the market. NSF/ANSI 53 addresses point-of-use systems and ensures that health related contaminants are filtered out by the system. These contaminants may be present in public or private drinking water. 2500-gallon carbon block filter reduces chlorine (taste and odor) and lead, and removes 99.99% of cysts.

Brita® Hydration Station™ Product Comparison

	2000 RECESSED	2000SM SURFACE MOUNT
Installs Directly Into Wall	✓	
Easily Installs on Virtually Any Indoor Wall Surface		✓
Saves on Costly Bottled Water	✓	✓
Plumbed Drain	✓	Optional
Filtration and Monitoring	✓	✓
30-Second Auto Shut Off	✓	✓
.5 GPM Flow Rate	✓	✓
110V Hard Wire	✓	
110V Wire and Plug		✓
Purge Feature	✓	Optional
ADA Compliant**	✓	✓
CSA/IAPMO Certified	✓	✓
Hidden Lock and Hinges	✓	✓
Heavy Duty Mounting Frame	✓	✓
Sensor Operated	✓	✓
Support & Warranty	Both products come with an extended 3-year warranty	

** The Brita® Hydration Station™ meets the Americans with Disabilities Act for wheelchair access including front and side approach, along with reach requirements when mounted at the correct height.

BRITA® HYDRATION STATION™ :: LEASING



Introducing the
\$69 per month leasing option

Whether it's for a fitness center, manufacturing facility, school or commercial office, **our leasing program makes financing a Brita® Hydration Station™ as easy as using one.**

LEASING PROGRAM FEATURES

\$69 PER MONTH The \$69 per month payment (does not include taxes or installation labor) provides 100% financing and requires no money down or initial cash outlay. Plus, most organizations can write off 100% of the lease payment for a significant pre-tax savings.

SIMPLE 60-SECOND APPLICATION We've partnered with NorEast Capital™ to make the application process as simple as possible. Our 60-second application does not require financial statements and can be securely completed online.

\$1 END-OF-LEASE BUYOUT At the end of the 5-year lease period, you have the option to purchase the unit for \$1.

AUTOMATIC REPLACEMENT FILTERS No need to order replacement filters. New Brita® Hydration Station™ filters are included in the lease program and one filter will be shipped to you, free of charge, every 6 months.

NOTE: All quoted program details are O.A.C., based on a 60-month term, do not include shipping, labor or taxes and are not guaranteed. No initial deposit required if the separate installation labor or any other cost is added to your lease payment. Please see a tax advisor for your specific tax treatment.

*NSF Certified filtration. The BRITA trademark and logo are registered trademarks of Brita, LP and are used under license by Haws Corporation®. All rights reserved.

1.888.640.4297 :: 1.775.359.4712 :: www.hawesco.com

PAGE :: 3

DRINKING FOUNTAINS



Model 1409

Multi bubbler, barrier-free cast aluminum drinking fountain with stainless steel push-button activated valve assemblies. Wall-mounted design is equipped with vandal resistant components. 100% lead-free waterways.



Model 1441

Multi bubbler, cast aluminum, barrier-free drinking fountain with push button activated, valve assemblies. Wall mounted design with 100% lead-free waterways. Bubbler heads locked to main bowl to protect against vandals.



Model 1025

Barrier-free, heavy-duty 11-gauge steel. Features a push button stainless steel valve assembly allowing for front access stream adjustment as well as cartridge and strainer access.



Model 1119

18 gauge Type 304 Stainless Steel barrier-free, "Hi-Lo," wall mounted drinking fountain. Equipped with vandal resistant components and 100% lead-free waterways. Satin finish resists stains and corrosion.





Model 1501

Barrier-free "Hi-Lo" drinking fountain with push-button activated, valve assembly allowing for front access stream adjustment. White enameled iron construction provides durability. Equipped with vandal resistant components and has 100% lead-free waterways.



Model 1117L

Adjustable barrier-free "Hi-Lo" drinking fountain, features a stainless steel, push-button activated, valve assembly and is equipped with vandal-resistant components. 100% lead-free waterways.



Model 3202

Angled barrier-free, trough style design allows the pedestal to be placed securely in multiple locations where a gravel fill is present or can be installed. Gravel fill and trough design completely eliminate the need for traditional drains that can be clogged with sand and other contaminates.



Model 3177

Barrier-free, vibra-cast reinforced concrete pedestal drinking fountain with exposed aggregate finish and 100% lead-free waterways.

AXION™ eyePOD™



Model 7620

The newest addition to the AXION™ line of products, the AXION™ eyePOD™, is a faucet-mounted eyewash that provides professional business facilities with AXION MSR™ eyewash irrigation capabilities in an attractive, low cost, compact package.

The sleek, smooth, stainless steel exterior of the eyePOD™ blends in with any décor and is easy to clean and use. And while the polished surface is cosmetically suited for any professional office setting, the stainless steel construction is rugged enough for any industrial application.

The AXION™ eyePOD™ features an inverted directional laminar flow which achieves zero vertical velocity supplied by an integral .9 GPM (3.4 LPM) flow control, which supplies a .5 GPM (1.9 LPM) aerator.

As an added safety precaution, the eyePOD™ features a built-in thermostatic safety valve that will automatically shut off eyewash flows at 100°F (37°C), diverting all water out through the aerator at the bottom of the unit. This protects users from

accidentally irrigating with water that is too hot. When water temperatures fall to an acceptable degree, eyewash flows are automatically restored. Operating pressure: 30 - 90 psi (2 bar - 6.2 bar).

Installation is a snap, with a variety of industry standard adapters included that allow the eyePOD™ to be used with standard faucets. Simply remove the existing aerator from the bottom of your faucet by unscrewing it and replace it with the eyePOD™.

Model 7620, AXION™ eyePOD™, uses a standard 55/64-27 thread faucet connection, along with three additional adaptors provided (15/16-27 male, 13/16-27 male and 13/16-24 female).


The AXION™ eyePOD™ is certified by CSA to meet ASME A112.18.1/CSA B125.1 and ANSI Z358.1 standards for Emergency Eyewash and Shower Equipment. Product is compliant to NSF 61, California Health and Safety Code 116875 (AB 1953) and NSF/ANSI 372, along with all current Federal Regulations for the disabled including those in the Americans with Disabilities Act when properly installed on an ADA compliant faucet/sink with knee clearance installation.



a



b



c

FUNCTIONALITY OF THE AXION™ eyePOD™

With the logo facing upward, the AXION™ eyePOD™ will allow your faucet to function normally. Water passes through the eyePOD™ and exits through the built-in aerator under the unit (a).

Rotating the front of the eyePOD™ one-half turn (in either direction) brings the eyewash spouts to the top and automatically resets the unit to operate as an eyewash (b). Water is discharged from the twin AXION™ eyePOD™ eyewash nozzles for a soothing irrigation experience (c). The downward orientation of the eyewash nozzles when not in use keeps them free of dust and debris accumulation.

axion
eyePOD

EMERGENCY RESPONSE



Model 8356WCC

Barrier-free eye/face wash combines the AXION MSR™ stainless steel showerhead with the AXION MSR™ eye/face wash head. The showerhead uses a hydrodynamic design for equal distribution of water. Equipped with a stainless steel drain pan, so unit drains waste properly. Designed to accommodate wheelchair access, showerhead allows for flush in the ceiling mounting, or can hang down from the ceiling.



Model 8122

AXION MSR™ drench shower with new hydrodynamic shower design. Reduced installation time due to pre-built valve assembly and the ability to mount horizontally or vertically from any wall or ceiling. Solid construction from Schedule 40 hot-dipped galvanized steel make for a durable long lasting product.



Model 8905

AXION MSR™ eye/face wash head assembly. Unit is activated with simple squeeze lever operation. 12-foot yellow recoil hose provides an extended coverage area to further optimize the irrigation process.



Model 8904

AXION MSR™ eye/face wash head assembly. Unit is activated with simple squeeze lever operation. 8-foot green hose provides an extended coverage area to further optimize the irrigation process.



Model 8320-8325

Combination shower and eyewash features the medically acclaimed AXION MSR™ eye/face wash head assembly. Eyewash streams provide zero vertical velocity stream engineering with even laminar flow for enhanced comfort, stability and effectiveness. Unit also offers the new AXION MSR™ hydrodynamic shower design that minimizes the strong physical pressure that drives the water to the outer rim of normal showerheads, making the distribution equal across the entire footprint of the flow. Features a round 11" ABS plastic bowl, mesh in-line strainer, and ball valves with stainless steel ball and stem.

ADDITIONAL SCHOOL PRODUCTS

CHILLED WATER

SINKS



Model H119.8

"Hi-Lo" drinking fountain with chiller.



Model H1011.8HO

Hands off "Hi-Lo" drinking fountain with chiller.



Model 4110ADA

Heavy-duty cast iron basin, enamel finish sink. Shown with optional faucet and bubbler.



Model 4010

Deck-mounted sink for countertop locations.

DRINKING FOUNTAINS



Model 1119.14

Barrier-free, "Hi-Lo" drinking fountain.



Model 1047

Wall-mounted, concrete fountain.



Model 1107L

Low profile, barrier-free, wall mounted, fountain.



Model 3150

Concrete with aggregate finish and hood extension to protect bubbler.



Model 3300FR

Barrier-free "hi-lo" drinking fountain, freeze resistant.

EMERGENCY EQUIPMENT



Model 7501

Portable, gravity fed eyewash.

Model 7610

Barrier-free pull down eye/face wash. Sink mount or deck mount.



Model 7360B-7460B

AXION MSR™ eye/face wash with zero vertical velocity and laminar flow.



Model 9037

Privacy curtain.

Go Ahead, Stay Hydrated!SM

US/Canada

Haws HQ • www.hawesco.com • 1.888.640.4297

Mexico/Central America

Haws HQ • www.hawesco.com • +1.775.359.4712

South America

Avlis-Haws Brazil • www.avlisvalvulas.com.br • +55 (11) 4024.2977

Asia Pacific

Haws Singapore • www.haws.sg • +65.6367.0359

Europe/Middle East/Africa

Haws Switzerland • www.haws.ch • +41 (0) 34.420.6000

