

# AKER

## Full-Strength Bathware Line



BUILT TO PERFORM.

**AKER**<sup>®</sup>  
BY MAAX



BUILT TO PERFORM.  
MADE IN THE USA  
SINCE 1967.

## Table of Contents

4 Reasons to Choose Aker .....	4
Knock Down Series .....	6
Whirlpool Systems .....	8
Looking for a Specific Size? .....	10
Multi-Piece .....	13
• Tub Showers .....	14
• Showers .....	16
Bathtubs .....	18
Tub Showers .....	26
Showers .....	31
Shower Bases .....	36
Outlook plus Series .....	39
• Aker's Customized Options .....	40
• Color Chart .....	41
• Maintenance .....	42

# BEAUTY THAT'S BUILT FOR LIFE.

We make **life-proof** bathware that withstands the construction process and the test of time.

It's easy to maintain and hard to damage. Our attractive finishes take time to achieve, but it's why they last a long time. Higher quality materials and unmatched manufacturing excellence adds up to **beauty that lasts — year after year.**

Most bathware looks good on day one. But time is the true test of quality. After the dings, the soap scum, the thousands of showers and baths, the cleaning and dropping and banging and scuffing — that's when you will appreciate how AKER performs beautifully.



# 4 REASONS TO CHOOSE AKER.

Performance from every angle. Top, bottom, front and back — you'll see how every part of our bathware is engineered to last.



## 1 More resin, less fillers, and a hands-on approach

We hand roll the fiberglass and resin laminate up to four times, and we don't skimp on the mix. You'll find no exposed fiberglass strands, uneven surfaces, air bubbles or cracks here. We'll continue to invest more in our mix. We know you will see the difference — today, and years from now.



## 2 Tough from bottom up

We use  $\frac{1}{2}$ " of balsa wood, sandwiched between layers of reinforced fiberglass, to stabilize our four-part "Anti-flex" construction. Balsa wood is unique from other woods; it's extremely light but remarkably strong. The balsa wood is constructed to conform with the contours of the unit's base for maximum surface contact, ensuring superior base strength that eliminates floor fatigue and adds years of life to our products.



## 3 Reinforced sides for a sturdier and safer shower

Sidewalls reinforced with fiberglass and wood ensure sturdier shower door and grab bar installation, meaning a safer overall product.



## 4 Stunning finishes

### Gelcoat:

- Flexible & lightweight
- Easy to clean
- High gloss
- Easy to repair



# KDS SERIES

FULL LINE OF KNOCK DOWN SHOWERS & TUB SHOWERS

Thanks to our **easy steps** installation,  
you're saving time and money with AKER

- Get it right the 1<sup>st</sup> time: Perfect alignment of pins and holes for easier and stronger installation.
- No wet-set “Anti-Flex” base system**, providing **superior strength and durability**: no need to fill the space between the floor and the base with concrete or any other material eliminates wet-setting.
- Straight front apron for **easy tile installation**.
- Above-the-Floor Rough option** designed with enough space to pipe directly under the unit without relocating the drain.

**STEP-1** Level and install the shower base or the bathtub in the alcove.



**STEP-2** Apply silicone and install the walls using the PIN system to guide them in place; (Install the back wall and slide the side walls in).



**STEP-3** Secure the wall parts to the studs (shim if necessary).

# 3 REASONS TO BUY A KDS SHOWER OR TUB SHOWER



## 1 Easy to install

- Easy **1-person** front installation
- Hassle-free patented **PIN system**
- Packaged in 3 boxes
- **Above-the-Floor Rough** – No need to relocate the existing drain

## 2 Modern & Functional

- Ample storage space
- **One-piece** look
- **Easy to clean** anti-slip surface
- New & improved low threshold shower bases
- Optional **grab bars** & **wall reinforcement**

## 3 Versatile

- Right, left or no seat available
- Base only available for tile application

### Modern and stylish grab bars

Aker grab bars are now available with all KDS/KDTS units. Select the color that suits your style and specific needs: white, chrome or brushed nickel. **18" or 24" horizontal and vertical grab bars available.**



# BODYWRAP. WHIRLPOOL SYSTEM




## ꝝ | Swaddle yourself in comfort

The AKER Bodywrap system's unique whirlpool action **provides the solace** people need most after another long day's stresses and strains.

Soft spirals of water corkscrew up and around the body from toe to torso, swaddling the bather with **amazing tension-relieving comfort**. For those needing a more vigorous hydromassage, personalize the airflow and spray direction of up to a dozen whirlpool jets for a pulsating action that **re-energizes and alleviates sore** backs and aching feet.

### Features

- 10 or 12 jets
- 2 foot/ankle massage jets
- 2 micro pulse lumbar jets
- 6 adjustable comfort-flo side jets
- Twin air controls
- Micro-switch on/off control with 20 minute electronic timer
- 1 hp pump



## O<sub>3</sub> | Ozonator

Ozone is the Earth's natural way to **purify the air and water** from their toxins. Bringing these same natural purification benefits to the bath, AKER now offers the Ozonator for Whirlpool System in keeping with its promise to design innovative customer solutions. This technology **neutralizes unhealthy micro-organisms** like bacteria and mold, thus making your bathing experience **safe and fresh**.

# HOMESTEAD. WHIRLPOOL SYSTEM




## Hassle-free hydrotherapy

Enjoy the simple pleasures of life again with the AKER Homestead system, [our original personal relaxation system](#) for the bath.

Up to 8 fully independent jets can be adjusted directionally and for flow, giving bathers complete control of the intensity and location for **a superior massage experience with the ultimate ease**. Whether they want a gentle, reassuring caress or a deep, tension relieving rubdown, this is **hydrotherapy without hassles**.

### Features

- 4, 6 or 8 adjustable jet system
- Pneumatic on/off controls
- 3/4 HP pump



# LOOKING FOR A SPECIFIC SIZE?



## Your dream bathroom begins with a good plan


Bathrooms may be **the smallest rooms** in most homes but they are among the **most important** to many people's everyday sense of being.

---

  
**Multi-Piece Units**




W x L	PRODUCTS	NUMBER OF PIECES	PAGE
<b>TUB SHOWERS</b>			
32" x 60"	KDTS 3260	4-piece	15
30" x 60"	KDTS 3060	4-piece	15
29" x 54"	KDTS 2954	4-piece	15
<b>SHOWERS</b>			
34" x 60"	KDS 3460	4-piece	16
30" x 60"	KDS 3060	4-piece	16
34" x 48"	KDS 3448	4-piece	17
36" x 36"	KDS 3636	4-piece	17
32" x 32"	KDS 3232	4-piece	17
38" x 38"	KD NAS	2-piece	18



## Bathtubs

W x L	PRODUCTS	SHAPE			PAGE
		RECTANGULAR	OV	CORNER	
42" x 72"	SBHG-4272	•			21
	OV-4272		•		23
	SB00-4272		•		24
36" x 72"	SB-3672	•			20
	SBF-3672	•			21
60" x 60"	GT-6060AP			•	25
	CT-6060			•	24
	CT2-6060			•	25
	CTF-6060			•	24
	CTF2-6060			•	25
48" x 60"	GT-60/4860	•			19
42" x 60"	GT-4260	•			20
	GT-4260 AP	•			20
	TO-4260	•			22
	OV-4260		•		23
	OVA-4260		•		23
	OVF-4260		•		24
36" x 60"	TO-3660	•			22
	SB-3660	•			20
	SBA-3660	•			21
	SBF-3660	•			21
32" x 60"	TO-3260	•			22
	TOF-3260	•			22
	SB-3260	•			20
	SBA-3260	•			21
	SBF-3260	•			21
31" x 60"	TO-3060	•			22
30" x 60"	TOF-3060	•			23
29" x 54"	TOF-2954	•			23
	TO-2954	•			22




## One-Piece Tub Showers

W x L	PRODUCTS	PAGE
36" x 72"	SBW-3672	29
42" x 60"	GTWT-4260	28
	GTW-4260	28
36" x 60"	TS-3660	29
33" x 60"	SBW-3360	29
	TST-3360	30
	GB-60	28
32" x 60"	CM-60	27
	CMT-60	27
30" x 60"	TS-3060	30



## One-Piece Showers

L	PRODUCTS	TYPE		PAGE
		ALCOVE	CORNER	
60"	SHLS/RS-60	•		34
	S-60	•		32
	SHT-60	•		35
48"	SHLS/RS-48	•		34
	NS-48	•		32
	SHRST/LST-48	•		34
	SHT-48	•		35
42"	SHW-48	•		35
	S-42	•		33
36"	S-36T	•		33
32"	S-32	•		34
38"	SH-NA		•	35



## Shower Bases

W x L	PRODUCTS	TYPE		PAGE
		ALCOVE	CORNER	
36" x 60"	SP-3660	•		37
34" x 60"	SPS-3460	•		38
32" x 60"	SP-3260	•		37
30" x 60"	SPS-3060	•		38
36" x 48"	SPL-3950			37
39" x 50"	SP-3648	•		37
34" x 48"	SP-3448	•		37
32" x 48"	SPS-3448	•		38
34" x 42"	SP-3248	•		37
36" x 36"	SP-3442	•		37
32" x 32"	SPL-3636	•		37
	SPL-3232	•		37

# MULTI-PIECE.



**AKER** has a solution for every bathroom projects. We offer a selection of multi-piece tub showers and showers that **fit easily** through standard door openings. **Ideal for renovation projects.** No more job site problems.



Homestead Whirlpool System



## MULTI-PIECE TUB SHOWERS

### KDTS KDS Series



#### FEATURES:

- Four-piece gelcoated fiberglass tub-shower with PIN system for easy front installation
- Large top corner shelves, wide soap dish and standard acrylic handle
- Textured floor • Right or left-hand drain
- 14  $\frac{3}{8}$ " deep sump

3260: 60" L x 32" W x 79" H

3060: 60" L x 30" W x 78" H



#### OPTIONS:

- Homestead Whirlpool System
- In-line heater for whirlpool (factory-installed)
- Metallic finish handle
- Modern straight grab bars (white and metallic finish)
- Wall reinforcement • Above-the-Floor Rough

### KDTS KDS Series

#### FEATURES:

- Four-piece gelcoated fiberglass tub-shower with PIN system for easy front installation
- Large top corner shelves, wide soap dish and standard acrylic handle
- Textured floor • Right or left-hand drain
- 14  $\frac{3}{8}$ " deep sump

2954: 54" L x 29" W x 78" H



#### OPTIONS:

- Metallic finish handle
- Modern straight grab bars (white and metallic finish)
- Wall reinforcement
- Above-the-Floor Rough



## MULTI-PIECE SHOWERS

### ALCOVE MULTI-PIECE SHOWERS

#### KDS KDS Series

##### FEATURES:

- Four-piece gelcoated fiberglass shower with PIN system for easy front installation
- Large top corner shelves, wide soap dish and standard acrylic handle
- Textured floor
- Right/left-hand seat (drain opposite to seat) or no seat (center drain)

##### OPTIONS:

- Metallic finish handle
- Modern straight grab bars
- Wall reinforcement
- Above-the-Floor Rough

3460: 60" L x 34" W x 80" H

3060: 60" L x 30" W x 80" H



Shown without seat

## BALSA WOOD

### Though from bottom up

We use  $\frac{1}{2}$ " of balsa wood, sandwiched between layers of reinforced fiberglass, to stabilize our four-part "Anti-flex" construction. Balsa wood is unique from other woods; it's extremely light but remarkably strong.



The balsa wood is constructed to conform with the contours of the unit's base for maximum surface contact, ensuring superior base strength that eliminates floor fatigue and adds years of life to our products.

**FEATURES:**

- Four-piece gelcoated fiberglass shower with PIN system for easy front installation
- Large top corner shelves, wide soap dish and standard acrylic handle
- Right/left-hand seat or no seat
- Textured floor
- Center drain

3448: 48" L x 34" W x 80" H



Shown without seat

**FEATURES:**

- Four-piece gelcoated fiberglass shower with PIN system for easy front installation
- Large top corner shelves, footrests and standard acrylic handle
- Textured floor
- Center drain

3636: 36" L x 36" W x 76" H

3232: 32" L x 32" W x 76" H



## PIN SYSTEM

### A secure fit every time

Our enhanced, patented front installation **PIN system** was designed with the installer in mind. Used in our KDS Series, this **time-and-money-saving solution** eliminates the need for rear access. And pins are made of sturdier material for a tighter fit between the parts.

Our sturdy, innovative PIN system is available in our new KDS Series of multi-piece showers and tub showers.



## KD-NAS

**FEATURES:**

- Two-piece neo-angle corner shower
- Built-in corner shelf
- Textured floor
- Center drain

38" L x 38" W x 77" H



## ABOVE-THE-FLOOR ROUGH

**What does it mean for you?**

Above-the-Floor Rough or **AFR** means there is enough space to pipe directly under the bathtub without having to relocate the existing drain. What does this mean for you?

Less time and hassle on the job.



## Available Doors

A **wide selection** of MAAx doors is available to fit your bathtub, tub shower, shower and shower base.

For more information, consult [www.maax.com](http://www.maax.com)



# BATHTUBS.



**Aker** offers an array of soaking tubs, which feature one-piece construction, lumbar support, textured floor pattern and twin contoured armrests. Any of the below soaker units can also be upgraded to one of our **complete AKER whirlpool systems**.



Homestead Whirlpool System  
Bodywrap Whirlpool System



## BATHTUBS



### RECTANGULAR BATHTUBS

#### GT



##### FEATURES:

- 5 ½" wrap around backsplash
- Integrated apron & tiling flange
- Recessed front step with textured surface
- Deck for faucet
- Textured floor • Center drain
- 15 ¾" deep sump
- Alcove installation

60: 60" L x 48" W x 23" H



#### OPTIONS:

- Homestead Whirlpool System
- In-line heater for whirlpool (factory-installed)

#### GT



##### FEATURES:

- 4" wrap around backsplash
- Deck for faucet
- Low-profile front step with textured surface
- Integrated apron & tiling flange
- Textured floor • Right or left drain
- 17 ½" deep sump
- Alcove installation

4860: 60" L x 48" W x 24" H



#### OPTIONS:

- Bodywrap Whirlpool System
- In-line heater for whirlpool (factory-installed)

**FEATURES:**

4260: 60" L x 41" W x 23" H

- 5 ½" wrap around backsplash
- Integrated apron & tiling flange
- Deck for faucet
- Textured floor • Right, left or center drain
- 15 ¾" deep sump
- Alcove installation

**OPTIONS:**

- Homestead Whirlpool System
- In-line heater for whirlpool (factory-installed)
- Above-the-Floor Rough

**FEATURES:**

4260 AP: 60" L x 42" W x 27" H

- 5 ½" wrap around backsplash
- Deck for faucet
- Center drain
- Alcove installation
- 16 ⅜" sump

**FEATURES:**

3672: 72" L x 36" W x 22" H

3660: 60" L x 36" W x 22" H

3260: 60" L x 32" W x 22" H

- Deep and spacious bathing well
- Backrest with lumbar support
- Armrests • Deck for faucet
- Textured floor • End drain
- 20 ½" deep sump • Drop-in installation

**OPTIONS:**

- Bodywrap Whirlpool System
- Homestead Whirlpool System
- In-line heater for whirlpool (factory-installed)
- Chrome grab bars
- Removable or non-removable apron

# SBA



## FEATURES:

- Spacious bathing well
- Integrated apron & tiling flange
- Deck for faucet • Armrests
- Textured floor • Right or left drain
- 20 1/2" deep sump
- Alcove installation

3660: 60" L x 37" W x 21" H  
3260: 60" L x 33" W x 21" H



## OPTIONS:

- Bodywrap Whirlpool System
- Homestead Whirlpool System
- In-line heater for whirlpool (factory-installed)
- Above-the-Floor Rough (3660 only)

# SBF



## FEATURES:

- Deep and spacious bathing well
- Backrest with lumbar support
- Armrests • Deck for faucet
- Integrated tiling flange
- Textured floor • Right or left drain
- 20 1/2" deep sump • Alcove installation

3672: 72" L x 36" W x 22" H  
3660: 60" L x 37" W x 21" H  
3260: 60" L x 32" W x 22" H



## OPTIONS:

- Bodywrap Whirlpool System
- Homestead Whirlpool System
- In-line heater for whirlpool (factory-installed)
- Chrome grab bars
- Removable or non-removable apron

# SBHG



## FEATURES:

- Armrests at each tub end
- Raised headrests
- Symmetrical backrests with lumbar supports
- Deep bathing well • Textured floor
- Center drain • 20 1/4" deep sump
- Drop-in installation

4272: 72" L x 42" W x 22" H



## OPTIONS:

- Bodywrap Whirlpool System
- In-line heater for whirlpool (factory-installed)
- Chrome grab bars
- Removable or non-removable apron

## TO

### FEATURES:

- Meets FHA accessibility requirements
- Integrated tiling flange
- Textured floor
- Right or left drain
- Alcove installation

**2954:** 54" L x 29" W x 16" H  
**3060:** 60" L x 30" W x 16" H  
**3260:** 60" L x 32" W x 16" H  
**3660:** 60" L x 36" W x 16" H



### OPTIONS:

- Above-the-Floor Rough

## TO

### FEATURES:

- Meets FHA accessibility requirements
- Integrated tiling flange
- Textured floor
- Right or left drain
- Alcove installation
- 14 1/2" deep sump
- Bottom bathing well : 48" L x 26" 1/2 W

**4260:** 60" L x 41" W x 16" H



### OPTIONS:

- 2 3/4 in. Above-the-floor Rough available

## TOF



### FEATURES:

- 3" wrap around backsplash
- Integrated apron & tiling flange
- Textured floor
- Right or left drain
- Alcove installation
- Tile adapter required for door installation

**3260:** 60" L x 32" W x 19" H



### OPTIONS:

- Homestead Whirlpool System
- In-line heater for whirlpool (factory-installed)
- Above-the-Floor Rough

# TOF



## FEATURES:

- 1 ½" wrap around backsplash
- Integrated apron & tiling flange
- Textured floor
- Right or left drain
- Alcove installation
- Tile adapter required for door installation

3060\*: 60" L x 30" W x 18" H

2954+: 54" L x 29" W x 18" H

\*No system available



## OPTIONS:

- Homestead Whirlpool System (3060 only)
- In-line heater for whirlpool (3060 only) (factory-installed)
- Above-the-Floor Rough

## OVAL BATHTUBS

# OV



## FEATURES:

- Deep and spacious bathing well
- Deck for faucet
- Textured floor • End drain
- 20 ½" deep sump • Drop-in installation

4272: 72" L x 42" W x 22" H

4260: 60" L x 42" W x 22" H



## OPTIONS:

- Bodywrap Whirlpool System
- Homestead Whirlpool System
- In-line heater for whirlpool (factory-installed)
- Chrome grab bars (4272 only)
- Removable or non-removable apron

# OVA



## FEATURES:

- Spacious bathing well
- Integrated apron & tiling flange
- Backrest with lumbar support
- Deck for faucet • Textured floor
- Right or left drain • 20 ¼" deep sump
- Alcove installation

4260: 60" L x 42" W x 21" H



## OPTIONS:

- Bodywrap Whirlpool System
- Homestead Whirlpool System
- In-line heater for whirlpool (factory-installed)

## OVF (with flanges)



### FEATURES:

- Spacious bathing well
- Integrated tiling flange
- Backrest with lumbar support
- Deck for faucet • Textured floor
- Right or left drain • 20 1/4" deep sump
- Alcove installation

4260: 60" L x 42" W x 21" H



### OPTIONS:

- Bodywrap Whirlpool System
- Homestead Whirlpool System
- In-line heater for whirlpool (factory-installed)
- Removable or non-removable apron

## SBOO



### FEATURES:

4272: 72" L x 41" W x 23" H

- Armrests at each tub end
- Raised headrests
- Symmetrical backrests with lumbar supports
- Deck for faucet
- Textured floor • Center drain
- 20 1/2" deep sump
- Drop-in installation



### OPTIONS:

- Bodywrap Whirlpool System
- In-line heater for whirlpool (factory-installed)

## CORNER BATHTUBS

## CT/CTF (with flanges)



### FEATURES:

6060: 59" L x 59" W x 22" H

- Symmetrical backrests with lumbar supports
- Armrests • Deck for faucet
- Integrated seat • Textured floor
- Center drain • 19 3/4" deep sump
- Drop-in installation (CT model)
- Integrated tiling flange for alcove installation (CTF model)



### OPTIONS:

- Bodywrap Whirlpool System
- Homestead Whirlpool System
- In-line heater for whirlpool (factory-installed)

## CT2/CTF2 (with flanges)



### FEATURES:

- Spacious bathing well
- 2 backrest with lumbar support
- Armrests • Deck for faucet • Textured floor
- Center drain • 19 3/4" deep sump
- Drop-in installation (CT2 model)
- Integrated tiling flange for alcove installation (CTF2 model)

6060: 59" L x 59" W x 22" H



### OPTIONS:

- Bodywrap Whirlpool System
- Homestead Whirlpool System
- In-line heater for whirlpool (factory-installed)

## GT



### FEATURES:

- Spacious bathing well
- Integrated tiling flange
- Armrests • Deck for faucet
- Integrated apron with large access panel
- Textured floor
- 18 1/2" deep sump
- Center drain

6060AP: 59" L x 59" W x 24" H




### OPTIONS:

- Homestead Whirlpool System
- In-line heater for whirlpool (factory-installed)

## INTEGRATED TILING FLANGE

### For an easier and faster installation

Some AKER bathtubs are equipped with a leakproof integrated tiling flange that requires **less time to install, saves effort, and makes a better longer-lasting seal.**



# TUB SHOWERS.



**AKER** one-piece tub showers are both **functional and comfortable**. They come with a set of optional upgrades that allow complete customization.



## TUB SHOWERS



### CM

#### FEATURES:

- One-piece gelcoated fiberglass tub-shower
- Built-in back wall shelves with integrated soap dish
- Standard clear acrylic bar
- Textured floor
- Right or left-hand drain
- 13 3/4" deep sump

60: 60" L x 32" W x 72" H



### CMT (with simulated tiles)

#### FEATURES:

- One-piece gelcoated fiberglass tub-shower with 4 in. simulated tile pattern
- Built-in back wall shelves with integrated soap dish
- Standard clear acrylic bar
- Textured floor
- Right or left-hand drain
- 13 3/4" deep sump

60: 60" L x 32" W x 72" H



#### OPTIONS:

- Metal finish grab bars
- Above-the-Floor Rough

**FEATURES:**

- One-piece gelcoated fiberglass tub-shower
- Built-in corner shelf with integrated soap dish
- Standard clear acrylic bar
- Textured floor • Right or left-hand drain
- 14  $\frac{1}{4}$ " deep sump

60: 60" L x 33" W x 72" H

**OPTIONS:**

- Homestead Whirlpool System
- In-line heater for whirlpool (factory-installed)
- Metal finish grab bars • Roofcap
- Light for roofcap • Above-the-Floor Rough

**GTW****FEATURES:**

- One-piece gelcoated fiberglass tub-shower
- Built-in back wall shelves with integrated soap dish
- Standard clear acrylic bar
- Textured floor • Right or left-hand drain
- 16  $\frac{3}{4}$ " deep sump

4260: 60" L x 41" W x 74" H

**OPTIONS:**

- Bodywrap Whirlpool System
- In-line heater for whirlpool (factory-installed)
- Metal finish grab bars
- Above-the-Floor Rough

**GTWT** (with simulated tiles)**FEATURES:**

- One-piece gelcoated fiberglass tub-shower with 6 in. simulated tile pattern
- Built-in back wall shelves and standard clear acrylic bar when ordered with R/L drain
- Textured floor • 16" deep sump
- Right, left-hand or back center drain

4260: 60" L x 35" W x 71" H

**OPTIONS:**

- Homestead Whirlpool System
- In-line heater (factory-installed)
- Metal finish grab bars
- Above-the-Floor Rough

**FEATURES:**

- One-piece gelcoated fiberglass tub-shower
- Built-in back wall shelves with integrated soap dish
- Standard clear acrylic bar
- Textured floor
- Right or left-hand drain
- 17 1/4" deep sump

3672: 72" L x 36" W x 77" H

**OPTIONS:**

- Bodywrap Whirlpool System
- In-line heater for whirlpool (factory-installed)
- Metal finish grab bars

**FEATURES:**

- One-piece gelcoated fiberglass tub-shower
- Built-in back wall shelves with integrated soap dish
- Standard clear acrylic bar
- Textured floor
- Right or left-hand drain
- 16" deep sump

3360: 60" L x 33" W x 77" H

**OPTIONS:**

- Bodywrap Whirlpool System
- In-line heater for whirlpool (factory-installed)
- Metal finish grab bars
- Wall reinforcement
- Roofcap
- Light for roofcap
- Above-the-Floor Rough

**FEATURES:**

- One-piece gelcoated fiberglass tub-shower
- Built-in top corner shelves and integrated soap dish
- Standard acrylic handle
- Textured floor
- Right or left-hand drain
- 14 1/2" deep sump

3660: 60" L x 36" W x 75" H

**OPTIONS:**

- Homestead Whirlpool System
- In-line heater for whirlpool (factory-installed)
- Metallic finish handle
- Wall reinforcement
- Above-the-Floor Rough

**FEATURES:**

- One-piece gelcoated fiberglass tub-shower
- Built-in back wall shelves with integrated soap dish
- Standard clear acrylic bar
- Textured floor • Right or left-hand drain
- 14 1/4" deep sump

3060: 60" L x 30" W x 73" H

**OPTIONS:**

- Metal finish grab bars
- Wall reinforcement
- Above-the-Floor Rough

**TST (with simulated tiles)****FEATURES:**

- One-piece gelcoated fiberglass tub-shower with 6 in. simulated tile pattern
- Built-in back wall shelves and integrated soap dish
- Standard clear acrylic bar
- Textured floor • Right or left-hand drain
- 14 3/4" deep sump

3360: 60" L x 33" W x 77" H

**OPTIONS:**

- Above-the-Floor Rough

# SHOWERS.



Choose from a **wide selection** of **AKER** one-piece shower stalls. Each one comes with options to add a **personalized touch**.



Shower Roofcap



# SHOWERS

## ALCOVE SHOWERS

### NS

#### FEATURES:

- One-piece gelcoated fiberglass shower
- Built-in wide corner shelves
- Textured floor
- Center drain

48: 48" L x 35" W x 72" H



### S



- One-piece gelcoated fiberglass shower
- Built-in corner shelves
- Twin seats
- Textured floor
- Center drain

60: 60" L x 36" W x 75" H  
48: 48" L x 36" W x 75" H



#### OPTIONS:

- Roofcap
- Light for roofcap

# S

## FEATURES:

- One-piece gelcoated fiberglass shower
- Built-in wide corner shelves
- Textured floor
- Center drain

42: 42" L x 35" W x 72" H



## OPTIONS:

- Wall reinforcement

# S

## FEATURES:

- One-piece gelcoated fiberglass shower
- Built-in corner shelves
- Textured floor
- Center drain

36: 36" L x 36" W x 72" H



## S (with simulated tiles)

## FEATURES:

- One-piece gelcoated fiberglass shower with 4 in. simulated tile pattern
- Built-in wide corner shelves
- Textured floor
- Center drain

36T: 36" L x 36" W x 72" H



## OPTIONS:

- Above-the-Floor Rough

**FEATURES:**

- One-piece gelcoated fiberglass shower
- Built-in corner shelves
- Textured floor
- Center drain

32: 32" L x 32" W x 72" H

**SHLS/RS****FEATURES:**

- One-piece gelcoated fiberglass shower
- Two-level built-in corner shelves with standard clear acrylic bar
- Right or left-hand seat
- Integrated footrest opposite to seat (60 only)
- Textured floor
- Center drain

60: 60" L x 36" W x 77" H

48: 48" L x 36" W x 77" H



Shown with right seat

**SHRST/LST** (with simulated tiles)**FEATURES:**

- One-piece gelcoated fiberglass shower with 6 in. simulated tile pattern
- Built-in back wall shelves with integrated soap dish
- Standard clear acrylic bar
- Right or left-hand seat
- Textured floor
- Center drain

48: 48" L x 35" W x 74" H



Shown with left seat

## SHT (with simulated tiles)

### FEATURES:

- One-piece gelcoated fiberglass shower with 6 in. simulated tile pattern
- Built-in back wall shelves
- Standard clear acrylic bar
- Twin seats
- Textured floor
- Center drain

60: 60" L x 35" W x 72" H



## SHW

- One-piece gelcoated fiberglass shower
- Built-in corner shelves
- Right/left-hand seat or no seat (48 only)
- Textured floor
- Center drain

48: 48" L x 35" W x 82" H



Shown without seat

## CORNER SHOWERS

## SH-NA

### FEATURES:

- One-piece neo-angle corner shower
- Three-level built-in corner shelves
- Back center drain
- Textured floor

38" L x 38" W x 78" H




### OPTIONS:

- Above-the-Floor Rough

# SHOWER BASES.



Every **AKER** shower base is **handcrafted** for **superior durability** and features a gelcoat finish, one-piece construction, and textured floor for **added safety**.



# SHOWER BASES

## ALCOVE SHOWER BASES

### SP

#### FEATURES:

- Rectangular shower base
- Integrated tiling flange
- Textured floor
- Center drain

3660: 60" L x 36" W x 6" H  
3648: 48" L x 36" W x 6" H  
3448: 48" L x 34" W x 6" H  
3442: 42" L x 34" W x 6" H  
3260: 60" L x 32" W x 6" H  
3248: 48" L x 32" W x 6" H



### SPL

#### FEATURES:

- Low threshold base
- Integrated tiling flange
- Textured floor
- Center drain

3636: 36" L x 36" W x 3" H  
3232: 32" L x 32" W x 3" H



### SPL

#### FEATURES:

- Rectangular gelcoat shower base
- 3" Low threshold base
- Integrated tiling flange
- Smooth floor finish
- Superior base strength with balsa wood reinforcement

3950: 50 1/2" L x 39 3/4" W x 3" H



# SPS

## FEATURES:

- Rectangular shower base
- Integrated tiling flange
- Right or left integrated seat
- Textured floor
- Right, left or center drain (3460 & 3060)
- Center drain (3448 only)

3460: 60" L x 34" W x 20" H  
3448: 48" L x 34" W x 20" H  
3060: 60" L x 30" W x 20" H



## OPTIONS:

- Above-the-Floor Rough

**Your job just got easier with the AKER mobile App!**  
**Ease. Speed. Mobility.**



**Download the App on-site and get a  
\$10 iTunes GIFT CARD for FREE!**



( While supplies last )



Available on the  
App Store

**Performance in the Palm of your Hand!**

# Outlook *plus* series

**Full-Strength** Bathware Line.  
Engineered for Those with Special Needs.



## ACCESSIBILITY CODE COMPLIANT SERIES

The **Outlook Plus** code compliant series provide accessibility and optimal safety. Code-specific option packages for seats and grab bars make choosing the right unit a snap.



## GENERATION+ SERIES

We apply our design innovation to universal user-friendliness and comfort for ultimate peace of mind. Stylish accessories and built-in features let you adapt for lifestyles from cradle to cane.



Visit [www.akerbymaax.com](http://www.akerbymaax.com)  
for more details.

# AKER'S CUSTOMIZED OPTIONS.

Personalize any AKER bathware so its best suits your sense of style and desired **showering and bathing experience** by choosing among our selection of options that can be ordered separately.

## Bathtubs



### In-line heather

Stay warm a little longer with AKER in-line heather




### Apron

Removable or non-removable apron offered on specific bathtubs allowing two different configurations: Drop-in or alcove installation.



### Access Panel

For easy access to your bathtub whirlpool system. Facilitate maintenance.



### Above-the-Floor Rough (AFR)

Products designed with enough space to pipe directly under the bathtub without having to relocate the existing drain.

## Tub Showers & Showers



### Handle

Metallic or acrylic finish handle to match bathroom accessories



### Shelf rail

Added shelf space to hold bottles of varied size



### Grab bars

Modern, vertical and horizontal grab bars are available on multiple AKER units. Select the color that suits your style and specific needs.



### Wall reinforcement

Allow for the installation of additional grab bars, if needed and a safer shower door installation



### Roofcap & light

Roofcap allow easier wall finishing while the custom built light helps to shed a little extra light on the area inside your shower stall.



### Above-the-Floor Rough (AFR)

Products designed with enough space to pipe directly under the bathtub without having to relocate the existing drain.

# COLOR CHART.

Aker **offers a rainbow of color choices** that you just cannot find from other manufacturers. We even have options that coordinate with your sink and toilet.

---

## Standard Colors



White



Bone



Biscuit

## Gelcoat Units



Black



Day Dream



Dresden Blue



Dusty Rose



Fawn Beige



Glacier Blue



Ice Grey



Innocent Blush



Logan Berry



Ruby



Seafoam Green



Shell



Sky Light



Sterling Silver



Sunlight



Thunder Grey



Timberline



Wild Rose

# MAINTENANCE.

AKER uses **durable, high quality materials and innovative technology** in manufacturing and design of its products to reduce the time needed to spend cleaning and caring for them. However, proper and regular maintenance is still vital.

Follow these general use and maintenance tips, as well as any that come with the AKER products, and you will be rewarded with years of great service.

## Bathtubs / Tub Showers / Showers / Shower Bases Maintenance

**Wipe down after every use** with a squeegee or soft cloth. This reduces the buildup from soap, bath additives, natural body oils and mineral deposits in water, making cleaning easy and helping to maintain the unit's natural luster.



**Clean regularly** with a non-abrasive cleaning spray or cream-based cleansing agent. Never use abrasive cleansers, scrapers, metal brushes, or anything that could scratch or dull the surface.

## Whirlpool Maintenance Tips

Clean piping and pump monthly. Fill the bathtub with hot water (max. 104°F/40°C) to two inches (5 cm) above the jets, add the cleansing agent, and turn on the whirlpool system for 20 minutes. Empty the bathtub. Use cold water to rinse, turning the system back on for 20 minutes, while keeping the air controls turned off.

# EXPERIENCE A GREENER **MAAX**®

The environment is important to all of us. We, at MAAX, believe in doing our part in reducing our ecological footprint.



## JOIN US AT AKERBYMAAX.COM

[www.akerbymaax.com](http://www.akerbymaax.com) is an essential and inspiring source of information.

In addition to finding all the products and therapeutic system details included in this book, our website offers design tips, product configurators and other useful sections such as a press room, technical support and where to buy.

Download technical drawings, installation guides, specification pages, photos and videos with one click.

Our site, constantly evolving, is your personal assistant.





## Full-Strength Bathware Line

For any questions or comments,  
please contact [akercustomercare@maax.com](mailto:akercustomercare@maax.com)

### Technical Services

Tel: 1-800-962-2537  
Fax: 1-304-263-2379  
[akertechnicalservices@maax.com](mailto:akertechnicalservices@maax.com)

---

### Customer Service

Tel: 1-800-962-2537  
Fax: 1-304-263-8369  
[akercustomercare@maax.com](mailto:akercustomercare@maax.com)

**[www.akerbymaax.com](http://www.akerbymaax.com)**